



US00D797555S

(12) **United States Design Patent**
Carlson et al.

(10) **Patent No.:** **US D797,555 S**

(45) **Date of Patent:** **** Sep. 19, 2017**

- (54) **CAP**
- (71) Applicant: **Earthwell, Inc.**, Portland, OR (US)
- (72) Inventors: **Chris Carlson**, Chico, CA (US); **Scott Rolfson**, Portland, OR (US); **Christopher Leiter**, Happy Valley, OR (US)
- (73) Assignee: **Earthwell, Inc.**, Portland, OR (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/578,683**

- (22) Filed: **Sep. 23, 2016**
- (51) **LOC (10) Cl.** **09-06**
- (52) **U.S. Cl.**
USPC **D9/446; D9/436**

- (58) **Field of Classification Search**
USPC D9/414, 417, 428, 432, 434-436, D9/443-450, 452-456, 499, 682-685; D7/387, 392, 392.1, 393, 396.1-396.4, D7/398, 401.1, 507, 509-511, 538, 900; D3/202, 294, 318; D28/91.1; D6/580, D6/699, 699.4, 702; D8/349, 354, 382, D8/107, 300, 321, 322
CPC .. A61J 1/00; A61J 1/1412; B65D 1/00; B65D 1/02; B65D 1/10; B65D 1/46; B65D 2585/56; B65D 2585/545; B65D 41/00; B65D 41/38; B65D 41/56; B65D 41/62; B65D 47/00; B65D 47/06; B65D 47/08; B65D 2543/00046; B65D 2543/00092; B65D 2543/00296; B65D 5/46; B65D 2251/00

See application file for complete search history.

- (56) **References Cited**
U.S. PATENT DOCUMENTS

- 1,633,197 A * 6/1927 Snyder B65D 35/42
152/431
- D174,205 S * 3/1955 Ward D9/446

- 2,789,717 A * 4/1957 Demke B65D 55/16
215/235
- 2,814,405 A * 11/1957 Edwards B65D 45/322
215/253
- D188,393 S * 7/1960 Fagan D3/264
- D193,121 S * 6/1962 Wickman D9/446
- 3,145,872 A * 8/1964 Hayes B65D 47/148
220/375
- D206,294 S * 11/1966 Paris D9/436
- 3,416,688 A * 12/1968 Fanning A01K 97/04
215/306
- 3,434,620 A * 3/1969 Laurizio B65D 39/084
220/258.2
- D353,328 S * 12/1994 Nuffer D9/445

(Continued)

Primary Examiner — Michael A. Pratt
Assistant Examiner — Wendy Arminio
 (74) *Attorney, Agent, or Firm* — Berkeley Law & Technology Group LLP


(57) **CLAIM**

The ornamental design for a cap, as shown and described.

DESCRIPTION

FIG. 1 is a top and front perspective view of a cap showing our new design;
 FIG. 2 is a front elevational view of FIG. 1;
 FIG. 3 is a back elevational view of FIG. 1;
 FIG. 4 is a right side elevational view of FIG. 1;
 FIG. 5 is a left side elevational view of FIG. 1;
 FIG. 6 is a top plan view of FIG. 1;
 FIG. 7 is a bottom plan view of FIG. 1; and,
 FIG. 8 is an isometric view of the cap showing the cap in use on an unclaimed cup.
 The broken lines in FIG. 7 depict portions of the cap that form no part of the claimed design. The broken lines in FIG. 8 represent environmental subject matter and form no part of the claimed design.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D404,646	S	*	1/1999	Black, Sr.	D9/440
D411,106	S	*	6/1999	Conrad	D9/436
D475,923	S	*	6/2003	Renz	D9/446
D530,200	S	*	10/2006	Kingsley	D7/392.1
D603,456	S	*	11/2009	Brodsky	D20/28
D614,497	S	*	4/2010	Pola	D9/443
D674,277	S	*	1/2013	Hanson	D9/446
D676,318	S	*	2/2013	MacNeill	D9/446
D693,650	S	*	11/2013	De Leo	D7/629
D701,463	S	*	3/2014	Hojo	D9/719
D753,998	S	*	4/2016	Murphey	D9/446
D776,533	S	*	1/2017	Kikel	D9/446
2005/0023238	A1	*	2/2005	Wong	B65D 55/16 215/252
2012/0247607	A1	*	10/2012	MacNeill	F16L 55/115 138/96 R
2016/0023812	A1	*	1/2016	Kikel	B65D 41/02 235/492

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8