

US00D797653S

(12) **United States Design Patent** (10) **Patent No.:** **US D797,653 S**
Raatikainen et al. (45) **Date of Patent:** **** Sep. 19, 2017**

(54) **TIRE TREAD**

7/04; B60C 7/06; B60C 7/08; B60C 5/00;
B60C 13/00

(71) Applicants: **Jouni Juhani Raatikainen**, Lempäälä
(FI); **Henri Sakari Kossi**, Nokia (FI);
Mikko Valtteri Sironen, Tampere (FI)

See application file for complete search history.

(72) Inventors: **Jouni Juhani Raatikainen**, Lempäälä
(FI); **Henri Sakari Kossi**, Nokia (FI);
Mikko Valtteri Sironen, Tampere (FI)

(73) Assignee: **BLACK DONUTS ENGINEERING**
OY, Pirkkala (FI)

(**) Term: **15 Years**

(21) Appl. No.: **29/555,396**

(22) Filed: **Feb. 22, 2016**

(30) **Foreign Application Priority Data**

Aug. 27, 2015 (EM) 002761635-0001

(51) **LOC (10) Cl.** **12-15**

(52) **U.S. Cl.**
USPC **D12/545**

(58) **Field of Classification Search**
USPC 152/5, 151, 152.1, 167, 208,
152/209.1–209.28, 246, 450, 526, 527,
152/532, 535, 538, 541; D12/145,
D12/500–605, 900–901
CPC B60C 11/00; B60C 2011/0337; B60C
2011/0339; B60C 2011/0386; B60C 3/00;
B60C 3/08; B60C 1/00; B60C 2200/00;
B60C 2200/02; B60C 2200/04; B60C
2200/06; B60C 2200/065; B60C 2200/08;
B60C 2200/10; B60C 2200/12; B60C
2200/14; B60C 7/00; B60C 7/02; B60C

(56) **References Cited**

U.S. PATENT DOCUMENTS

D504,106	S	*	4/2005	de Briey-Terlinden		D12/553
D606,007	S	*	12/2009	Fontaine		D12/564
D640,184	S	*	6/2011	de Briey-Terlinden		D12/553
D641,305	S	*	7/2011	de Briey-Terlinden		D12/547
D702,625	S	*	4/2014	Leconte		D12/564
D702,627	S		4/2014	Raatikainen et al.		
D721,322	S		1/2015	Raatikainen et al.		
D721,323	S	*	1/2015	Caron		D12/563
D723,453	S	*	3/2015	Knispel		D12/563
D730,811	S	*	6/2015	Parr		D12/545
D733,038	S		6/2015	Raatikainen et al.		
D745,844	S	*	12/2015	Raatikainen		D12/545
D754,058	S	*	4/2016	Caron		D12/534

(Continued)

OTHER PUBLICATIONS

Design U.S. Appl. No. 29/530,655, filed Jun. 18, 2015, entitled Tire Tread, Inventors: Raatikainen et al.

(Continued)

Primary Examiner — Manpreet Matharu

Assistant Examiner — Keith Wilson

(74) *Attorney, Agent, or Firm* — Thompson Hine LLP



(57) **CLAIM**

The ornamental design for tire tread, as shown and described.

DESCRIPTION

FIG. 1 is a front view of the design;
FIG. 2 is a detail view of a portion of FIG. 1;
FIG. 3 is a perspective view of the design of FIG. 1;
FIG. 4 is a side view of a first side of the design of FIG. 1;
and,
FIG. 5 is a side view of a second side of the design of FIG. 1.

(Continued)



The dashed lines are for illustrative purposes only and do not constitute any part of the claimed designed.

1 Claim, 5 Drawing Sheets

(56) References Cited

U.S. PATENT DOCUMENTS

D756,292	S	*	5/2016	Yoon		D12/545
D756,894	S	*	5/2016	Pons		D12/545
D756,895	S	*	5/2016	Pons		D12/545
D756,896	S	*	5/2016	Leconte		D12/564
D767,473	S	*	9/2016	Nomura		D12/545
D777,092	S	*	1/2017	Leconte		D12/564

OTHER PUBLICATIONS

Design U.S. Appl. No. 29/530,658, filed Jun. 18, 2015, entitled Tire Tread, Inventors: Raatikainen et al.
Design U.S. Appl. No. 29/530,662, filed Jun. 18, 2015, entitled Tire Tread, Inventors: Raatikainen et al.
Design U.S. Appl. No. 29/546,677, filed Nov. 24, 2015, entitled Tire Tread, Inventors: Kossi et al.
Design U.S. Appl. No. 29/546,679, filed Nov. 24, 2015, entitled Tire Tread, Inventors: Raatikainen et al.
Design U.S. Appl. No. 29/546,681, filed Nov. 24, 2015, entitled Tire Tread, Inventors: Raatikainen et a.
Design U.S. Appl. No. 29/546,676, filed Nov. 24, 2015, entitled Tire Tread, Inventors: Raatikainen et al.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5