



US00D797663S

(12) **United States Design Patent**
Miller et al.

(10) **Patent No.:** **US D797,663 S**

(45) **Date of Patent:** **** Sep. 19, 2017**

(54) **PORTABLE POWER CHARGER WITH AC AND DC CONNECTION PORTS**

(71) Applicant: **Halo2Cloud LLC**, Glastonbury, CT (US)

(72) Inventors: **Garold C. Miller**, Glastonbury, CT (US); **Nathan Daniel Weinstein**, Glastonbury, CT (US)

(73) Assignee: **HALO INTERNATIONAL SEZC LTD.**, Georgetown (KY)

(**) Term: **15 Years**

(21) Appl. No.: **29/541,040**

(22) Filed: **Sep. 30, 2015**

(51) **LOC (10) Cl.** **13-02**

(52) **U.S. Cl.**
USPC **D13/107**

(58) **Field of Classification Search**
USPC D13/102-110, 118, 119, 184, 199;
D14/356, 432, 140

CPC Y02E 60/10; Y02E 60/12; Y02E 60/122;
Y02E 60/124; Y02E 60/50; H01M 2/022;
H01M 2/0202; H01M 2/0207; H01M 2/0212;
H01M 2/1061; H01M 2/1022; H01M 2/1055;
H01M 2/1066; H01M 2/105; H01M 2/20; H01M 2/202;
H01M 2/204; H01M 2/206; H01M 10/44; H01M 10/46;
H01M 10/465; H01M 10/482; H01M 2200/30;
H01M 2250/30; H01M 2250/40; H02J 7/00; H02J 7/0003;
H02J 7/0011; H02J 7/0013; H02J 7/0054; H02J 7/0055;
H02J 7/0057; H02J 2007/0062

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D494,541 S * 8/2004 Hriscu D13/110
D618,237 S 6/2010 Wang

D628,535 S	12/2010	Cheng	
D667,788 S	9/2012	Mai	
D672,309 S	12/2012	Tien	
D674,748 S	1/2013	Ferber et al.	
D675,156 S	1/2013	Vandiver et al.	
D682,196 S	5/2013	Leung	
D682,197 S *	5/2013	Leung	D13/103
D686,153 S *	7/2013	Qu	D13/103
D693,768 S *	11/2013	Alesi	D13/110
D715,219 S	10/2014	Cepress et al.	
D722,961 S *	2/2015	Lin	D13/103
D727,257 S *	4/2015	Miller	D13/103
D730,280 S *	5/2015	Koebler	D13/107
D735,403 S *	7/2015	Che	D13/110
D742,312 S *	11/2015	Gupta	D13/103
D764,404 S *	8/2016	Lau	D13/103

(Continued)

Primary Examiner — Rosemary K Tarcza

Assistant Examiner — Alison Ofstun

(74) *Attorney, Agent, or Firm* — McCormick, Paulding & Huber LLP

(57) **CLAIM**

The ornamental design for a portable power charger with AC and DC connection ports, substantially as shown and described.

DESCRIPTION

FIG. 1 is a front, top perspective view of a portable power charger with AC and DC connection ports, showing our new design;

FIG. 2 is a front, top perspective view thereof, shown in an alternate configuration of use;

FIG. 3 is a top plan view thereof;

FIG. 4 is a bottom plan view thereof;



FIG. 5 is a front elevation view thereof;

FIG. 6 is a rear elevation view thereof;

FIG. 7 is a left side elevation view thereof; and,

FIG. 8 is a right side elevation view thereof.

1 Claim, 3 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D770,976	S	*	11/2016	Xu	D13/110
2007/0126290	A1		6/2007	Jaynes et al.		
2008/0174265	A1		7/2008	Toya		
2012/0268064	A1		10/2012	Ostrom et al.		
2013/0049675	A1	*	2/2013	Minami	H02J 7/0054 320/103
2013/0150134	A1		6/2013	Pliner et al.		
2015/0028797	A1		1/2015	Miller et al.		
2015/0123620	A1	*	5/2015	Nowak	H02J 7/0054 320/137

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8