



US00D797691S

(12) **United States Design Patent**
Joubert et al.

(10) **Patent No.:** **US D797,691 S**

(45) **Date of Patent:** **** Sep. 19, 2017**

(54) **COMPOSITE EDGE RING**

(71) Applicant: **Applied Materials, Inc.**, Santa Clara, CA (US)

(72) Inventors: **Olivier Joubert**, Meylan (FR); **Jason A. Kenney**, Sunnyvale, CA (US); **Sunil Srinivasan**, Milpitas, CA (US); **James Rogers**, Los Gatos, CA (US); **Rajinder Dhindsa**, Pleasanton, CA (US); **Vedapuram S. Achutharaman**, Saratoga, CA (US); **Olivier Luere**, Sunnyvale, CA (US)

(73) Assignee: **APPLIED MATERIALS, INC.**, Santa Clara, CA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/561,163**

(22) Filed: **Apr. 14, 2016**

(51) **LOC (10) Cl.** **13-03**

(52) **U.S. Cl.**
USPC **D13/182**

(58) **Field of Classification Search**
USPC D13/158-177, 182, 184; 204/286.1, 204/297.1; 205/118, 123; 200/1 R, 5 R, 200/52 R, 315, 310, 6 A, 302.1, 308, 314, 200/317, 11 R, 16 B
CPC C25D 17/10; C25D 17/12; C25D 17/14; C25D 17/06; C25D 17/08; C25D 7/12; C25D 7/10; H01L 21/283; H01H 9/02; H01H 9/0214; H01H 9/04; H01H 9/161; H01H 13/04; H01H 13/06; H01H 13/023; H01H 21/08; H01H 19/025
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D404,370 S * 1/1999 Kimura D13/182
D404,372 S * 1/1999 Ishii D13/182

6,039,836 A 3/2000 Dhindsa et al.
D427,570 S * 7/2000 Ishii D13/182
D494,551 S * 8/2004 Doba D13/182
D494,552 S * 8/2004 Tezuka D13/182
6,908,540 B2 * 6/2005 Kholodenko C25D 7/12

204/224 R
7,025,862 B2 * 4/2006 Herchen C25D 17/06
204/199

7,087,144 B2 * 8/2006 Herchen C25D 17/06
204/285

7,138,039 B2 * 11/2006 Burkhart C25D 17/06
204/224 R

D557,226 S * 12/2007 Uchino D13/182
(Continued)

Primary Examiner — Elizabeth J Oswecki

(74) *Attorney, Agent, or Firm* — Patterson + Sheridan LLP



(57) **CLAIM**

The ornamental design for a composite edge ring, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a composite edge ring showing our new design;
FIG. 2 is bottom perspective view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a bottom plan view thereof;
FIG. 5 is a side elevational view thereof, the opposite side elevation view, the front elevation view, and the rear elevation view being a mirror-image thereof;
FIG. 6 is a cross-sectional view thereof taken along section 6-6 of FIG. 3;
FIG. 7 is an enlarged view of a portion labeled FIG. 7 in FIG. 6; and,
FIG. 8 is an enlarged view of a portion labeled FIG. 8 in FIG. 6 shown in a used condition with a surrounding environment shown in broken lines.
The broken lines in the Figures form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D559,993 S *	1/2008	Nagakubo	D24/232
D559,994 S *	1/2008	Nagakubo	D24/232
D699,200 S *	2/2014	Nagakubo	D13/182
D709,536 S *	7/2014	Yoshimura	D15/138
D709,538 S *	7/2014	Mizukami	D15/138
D709,539 S *	7/2014	Kuwabara	D15/138

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4



Fig. 5




Fig. 6




Fig. 7




Fig. 8