



US00D797881S

(12) **United States Design Patent** (10) **Patent No.:** **US D797,881 S**
Seecamp (45) **Date of Patent:** **** Sep. 19, 2017**

(54) **PISTOL CARTRIDGE**

(71) Applicant: **Lueder Seecamp**, Milford, CT (US)

(72) Inventor: **Lueder Seecamp**, Milford, CT (US)

(73) Assignee: **LWS Ammunition LLC**, Milford, CT (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/556,637**

(22) Filed: **Mar. 2, 2016**

Related U.S. Application Data

(62) Division of application No. 29/489,548, filed on Apr. 30, 2014, now Pat. No. Des. 751,166, which is a (Continued)

(51) **LOC (10) Cl.** **22-16**

(52) **U.S. Cl.**
USPC **D22/116**

(58) **Field of Classification Search**
USPC **D22/115-116**
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

376,302 A 1/1888 Gregg
627,929 A 6/1899 Andrews
(Continued)

FOREIGN PATENT DOCUMENTS

DE 2820530 A1 11/1979
DE 4321041 A1 1/1995
EP 2453200 A1 5/2012

Primary Examiner — Michael A Pratt

(74) *Attorney, Agent, or Firm* — St Onge Steward Johnston and Reens LLC

(57) **CLAIM**

The ornamental design for a pistol cartridge, as shown and described.

DESCRIPTION

FIG. 1 is a top front and right side isometric view of a first embodiment of a pistol cartridge in accordance with the new design in which a pistol cartridge has a bullet and a casing, in which the bullet is formed with a central cavity and two lateral bores, which cavity and bores have been filled with a polymeric filler of unspecified color, and the bullet and casing are shown in phantom outline;


FIG. 2 is a bottom plan view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a right side elevation view thereof, the left side view being a mirror image thereof;
FIG. 5 is a rear and left side perspective view thereof; and
FIG. 6 is a front elevation view thereof, the rear view being a mirror image view thereof.

FIG. 7 is a top front and right side isometric view of a second embodiment of a pistol cartridge in accordance with the new design in which a pistol cartridge has a bullet and a casing, in which the bullet is formed with a central cavity and two lateral bores, which cavity and bores have been filled with a polymeric filler of unspecified color, and the bullet and casing are shown in phantom outline;

FIG. 8 is a bottom plan view thereof;
FIG. 9 is a top plan view thereof;
FIG. 10 is a right side elevation view thereof, the left side view being a mirror image thereof;
FIG. 11 is a rear and left side perspective view thereof; and,
FIG. 12 is a front elevation view thereof, the rear view being a mirror image view thereof.

The broken lines shown in FIGS. 1-12 are for illustrative purposes only and form no part of the claimed design.

1 Claim, 4 Drawing Sheets



Related U.S. Application Data

division of application No. 29/433,404, filed on Sep. 28, 2012, now Pat. No. Des. 707,785.

- (58) **Field of Classification Search**
 CPC F42B 30/02; F42B 5/02; F42B 5/26; F42B 12/34; F42B 8/04; F42B 10/22; F42B 8/14; F41A 9/83; F41A 9/82; F41A 9/01; F41A 9/09; F41A 9/86
 See application file for complete search history.

References Cited

U.S. PATENT DOCUMENTS

693,329 A	2/1902	Neubauer
843,017 A	2/1907	Hoxie
1,073,349 A	9/1913	Hoagland
1,135,357 A	4/1915	Clyne
1,681,295 A	8/1928	Johnson
1,715,788 A	6/1929	Rosseau
2,655,755 A	10/1953	Nichols
3,103,889 A	9/1963	Keeney, Sr.
3,580,179 A	5/1971	Gawlick et al.
3,791,303 A	2/1974	Sweeney et al.
3,865,038 A	2/1975	Barr
3,866,536 A	2/1975	Greenberg
3,949,677 A	4/1976	Voss
4,091,736 A	5/1978	Mizelle
4,136,616 A	1/1979	Schirneker
4,245,557 A	1/1981	Knappworst
4,348,958 A	9/1982	Day
4,610,061 A	9/1986	Halverson

4,867,065 A	9/1989	Kaltmann	
4,947,755 A	8/1990	Burczynski	
5,133,261 A	7/1992	Kelsey, Jr.	
5,225,628 A	7/1993	Heiny	
5,275,110 A	1/1994	Flatau	
5,528,989 A	6/1996	Briese	
5,621,186 A	4/1997	Carter	
5,698,815 A	12/1997	Ragner	
5,760,329 A	6/1998	Baum et al.	
5,811,723 A	9/1998	Stone	
5,945,629 A	8/1999	Schildknecht et al.	
6,145,441 A	11/2000	Woodall et al.	
6,176,186 B1	1/2001	Engel	
6,178,890 B1	1/2001	Burczynski	
6,182,574 B1	2/2001	Giannoni	
6,213,022 B1	4/2001	Pullum	
6,378,439 B1	4/2002	Saxby	
6,453,820 B1	9/2002	Anderson	
D464,770 S	10/2002	Richmond	
6,546,874 B2	4/2003	Vasel et al.	
6,805,057 B2	10/2004	Carr et al.	
6,971,315 B2	12/2005	Knappworst et al.	
7,178,462 B2	2/2007	Beasley	
7,484,459 B2	2/2009	Fichot et al.	
D664,042 S *	7/2012	Kurpis	D22/116
D707,785 S	6/2014	Seecamp	
D751,166 S *	3/2016	Seecamp	D22/116
2002/0056397 A1	5/2002	Carr et al.	
2003/0209164 A1	11/2003	Pi	
2005/0126422 A1	6/2005	Lamm	
2005/0183616 A1	8/2005	Eberhart et al.	
2006/0096491 A1	5/2006	Fichot et al.	
2011/0056404 A1	3/2011	Masinelli	

* cited by examiner




FIG. 1




FIG. 2




FIG. 4




FIG. 3




FIG. 5




FIG. 6




FIG. 7




FIG. 8



FIG. 10




FIG. 9




FIG. 11




FIG. 12