



US00D797882S

(12) **United States Design Patent** (10) **Patent No.:** **US D797,882 S**
Tang (45) **Date of Patent:** **** Sep. 19, 2017**

(54) **STUN GUN**

(74) *Attorney, Agent, or Firm* — Ding Yu Tan

(71) Applicant: **Shenzhen Shocker Electronic Co., Ltd.**, Shenzhen (CN)

(57) **CLAIM**

(72) Inventor: **Jia Tang**, Shenzhen (CN)

The ornamental design for a stun gun, as shown and described.

(73) Assignee: **Shenzhen Shocker Electronic Co., Ltd.**, Shenzhen (CN)

DESCRIPTION

(**) Term: **15 Years**

FIG. 1 is a perspective view of a stun gun showing my new design;

(21) Appl. No.: **29/562,679**

FIG. 2 is a top plan view thereof;

(22) Filed: **Apr. 28, 2016**

FIG. 3 is a bottom plan view thereof;

(51) **LOC (10) Cl.** **22-02**

FIG. 4 is a left side elevation view thereof;

(52) **U.S. Cl.**

FIG. 5 is a right side elevation view thereof;

USPC **D22/117**

FIG. 6 is a front elevation view thereof; and,

(58) **Field of Classification Search**

FIG. 7 is a rear elevation view.

USPC D22/117; D26/49, 8, 33, 37–38, 46,
D26/133–134; 222/78, 175, 182–183;
42/1.09; 463/47.3; 361/232; 348/143

The shade lines (which are straight solid lines) in the figures show surface contour, but not surface ornamentation. The broken lines represent environment and are for illustrative purposes only and form no part of the claimed design; The two triangular structures (which are aligned in a horizontal configuration to go across the center portion of the embodiment) as identified by broken lines and marked by shade lines shown in FIG. 2 are purely environmental and thus are not shown and omitted for brevity in FIG. 1. The stun gun of an embodiment of present invention is shown by solid lines, including solid vertical contour lines. In addition, stipplings are also used herein to shown surface contours and character. The left-side elevational view can be symmetrical and mirror image of the right side elevational view of the embodiment. In addition, additional markings or text such as for example, “POLICE”, “SECURITY” or a company logo can be engraved or embossed on any of the flat surfaces in FIGS. 1, 4, and 5.

CPC B65D 83/88; F41B 15/04; F41H 13/00;
F41H 13/0018; F41H 13/0087; G08B
15/02; G08B 13/1966; G08B 13/19682

See application file for complete search history.

(56) **References Cited**


U.S. PATENT DOCUMENTS

D719,694 S	*	12/2014	Nawaz	D22/117
D745,987 S	*	12/2015	Nawaz	D22/117
D747,020 S	*	1/2016	Chouprinov	D22/117
D783,117 S	*	4/2017	Gilbarte	D22/117
D783,118 S	*	4/2017	Fan	D22/117

* cited by examiner

Primary Examiner — Catheri Oliver-Garcia

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7