



US00D798042S

(12) **United States Design Patent**
Moreau et al.

(10) **Patent No.:** **US D798,042 S**

(45) **Date of Patent:** **** Sep. 26, 2017**

(54) **COIL LANYARD WITH FLAT STRAP**

(71) Applicant: **TY-FLOT, INC.**, Manchester, NH (US)

(72) Inventors: **Darrell A. Moreau**, Manchester, NH (US); **Andre W. Moreau**, Bedford, NH (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/573,444**

(22) Filed: **Aug. 5, 2016**

(51) **LOC (10) Cl.** **03-01**

(52) **U.S. Cl.**
USPC **D3/215**

(58) **Field of Classification Search**

USPC D3/215, 221, 224, 226, 207-212; D11/7, D11/11, 26; 224/219, 222, 254, 269, 224/901.4, 901.8; 2/422; 43/25; 294/137, 149-150, 165

CPC A45F 5/00; A45F 2003/002; A45F 2005/006; A01K 97/00; A01K 27/002; A01K 27/001; A01K 27/003; Y10T 24/3489; Y10T 24/392; Y10T 24/241374

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,082,156 A * 1/1992 Braun A45F 5/00
224/220
D377,862 S * 2/1997 Moore 224/220

5,815,977 A * 10/1998 Hill, Jr. A01K 97/00
43/25

D418,774 S * 1/2000 Kalbach D11/26

D655,080 S * 3/2012 Burrows D3/215

D724,987 S * 3/2015 Aragon D11/11

D756,107 S * 5/2016 Votel D3/228

D768,979 S * 10/2016 Waters D3/207

* cited by examiner

Primary Examiner — Catherine R Oliver-Garcia

(57) **CLAIM**

The ornamental design for a coil lanyard with flat strap, as shown and described.

DESCRIPTION

FIG. 1 is a front, perspective view of a coil lanyard with flat strap showing our new design;

FIG. 2 is a partial rear perspective view of the first end portion thereof;

FIG. 3 is a partial rear perspective view of the second end portion thereof; and,

FIG. 4 is a partial side view thereof.

The broken lines depict environment that form no part of the claimed design. The lanyard is shown broken away to indicate that no particular length is claimed. Any portion shown between the breaks forms no part of the claimed design.

1 Claim, 2 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4

