

US00D798124S

(12) **United States Design Patent** (10) **Patent No.:** **US D798,124 S**  
**Hogan** (45) **Date of Patent:** **\*\* Sep. 26, 2017**

(54) **TILE SPACER REMOVER**  
(71) Applicant: **James Hogan**, Paducah, KY (US)  
(72) Inventor: **James Hogan**, Paducah, KY (US)  
(\*\*) Term: **15 Years**  
(21) Appl. No.: **29/538,596**  
(22) Filed: **Sep. 4, 2015**  
(51) **LOC (10) Cl.** ..... **08-05**  
(52) **U.S. Cl.**  
USPC ..... **D8/51**  
(58) **Field of Classification Search**  
USPC ..... D8/14, 51-60, 105  
CPC ..... E04F 21/0092; B25C 11/00; Y10S 33/20;  
Y10S 52/01; B26B 25/005; B26B 11/00;  
B26B 17/00  
See application file for complete search history.

(56) **References Cited**  
U.S. PATENT DOCUMENTS  
722,282 A \* 3/1903 Buehler ..... B26B 25/00  
30/319  
D120,678 S \* 5/1940 Parker ..... 15/105  
D201,203 S \* 5/1965 Ives ..... D8/51  
3,448,508 A \* 6/1969 Turner ..... E04F 21/28  
29/235  
D281,759 S \* 12/1985 Filippini ..... D8/107  
4,953,341 A 9/1990 Joos  
5,031,881 A \* 7/1991 Thurmston ..... B25C 11/00  
254/131  
D337,247 S 7/1993 Dart  
D426,444 S \* 6/2000 Hepworth ..... D8/14  
D428,569 S \* 7/2000 Miles ..... D8/14  
D441,631 S \* 5/2001 Carroll ..... D8/51  
6,394,518 B1 \* 5/2002 Kelley ..... B25B 27/0092  
294/61

D552,952 S \* 10/2007 Horner ..... D8/14  
D556,526 S \* 12/2007 Horner ..... D8/14  
D601,395 S \* 10/2009 Burton ..... D8/14  
D602,323 S \* 10/2009 Alleyne ..... D8/14  
D639,619 S 6/2011 Waege  
8,365,418 B2 2/2013 Tomasetti  
D749,923 S \* 2/2016 Davis ..... D8/14  
D762,095 S \* 7/2016 Davis ..... D8/14  
2008/0141617 A1 6/2008 Joski

\* cited by examiner

*Primary Examiner* — Deanna L Pratt  
(74) *Attorney, Agent, or Firm* — Julie A. Tennyson;  
Marcum Tennyson PLLC

(57) **CLAIM**

I claim the ornamental design for a tile spacer remover, as shown and described.

**DESCRIPTION**

FIG. 1 is a side view of the tile spacer remover.  
FIG. 2 is a top view of the tile spacer remover.  
FIG. 3 is a bottom view of the tile spacer remover.  
FIG. 4 is a back view of the tile spacer remover.  
FIG. 5 is a side view of the tile spacer remover.  
FIG. 6 is a front perspective view of the tile spacer remover;  
and,  
FIG. 7 is a front perspective view showing that the end of the tile spacer remover is removable. FIG. 7 also shows an alternative end of the tile spacer remover, with it being understood that in an alternative embodiment of the tile spacer remover design, the alternative end of the tile spacer remover shown in FIG. 7 is applied to the body of the tile spacer remover shown in FIGS. 1-7.  
The broken lines in the drawings illustrate portions of the tile spacer remover that form no part of the claimed design.

**1 Claim, 7 Drawing Sheets**




FIGURE 1




FIGURE 2




FIGURE 3




FIGURE 4




FIGURE 5




FIGURE 6




FIGURE 7

