



US00D798824S

(12) **United States Design Patent** (10) **Patent No.:** **US D798,824 S**
Hughes (45) **Date of Patent:** **** Oct. 3, 2017**

(54) **PORTABLE POWER DISTRIBUTION CENTER**

(71) Applicant: **ERICSON MANUFACTURING COMPANY**, Willoughby, OH (US)

(72) Inventor: **Ron Hughes**, Thompson, OH (US)

(73) Assignee: **Ericson Manufacturing Co.**, Willoughby, OH (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/546,734**

(22) Filed: **Nov. 25, 2015**

(51) **LOC (10) Cl.** **13-03**

(52) **U.S. Cl.**
USPC **D13/152**

(58) **Field of Classification Search**
USPC D13/152, 119, 147, 156, 177, 184;
174/50; 220/325, 328; 403/408.1;
D7/332-338, 402-405

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D656,099 S * 3/2012 Gerber D13/152
D682,218 S * 5/2013 Takata D13/152

(Continued)

Primary Examiner — Wan Laymon
Assistant Examiner — Mark Booker

(74) *Attorney, Agent, or Firm* — Calfee, Halter & Griswold LLP


(57) **CLAIM**

I claim the ornamental design for a portable power distribution center, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an embodiment of a portable power distribution center of the new design, wherein a cover of the distribution center is shown in an open position; FIG. 2 is a front view of the portable power distribution center of FIG. 1; FIG. 3 is a right side view of the portable power distribution center of FIG. 1; FIG. 4 is a rear view of the portable power distribution center of FIG. 1; FIG. 5 is a left side view of the portable power distribution center of FIG. 1; FIG. 6 is a top view of the portable power distribution center of FIG. 1; FIG. 7 is a bottom view of the portable power distribution center of FIG. 1; FIG. 8 is a perspective view of the portable power distribution center of FIG. 1, wherein the cover of the distribution center is shown in a closed position; FIG. 9 is a perspective view of an embodiment of a portable power distribution center of the new design, wherein covers of the distribution center are shown in an open position; FIG. 10 is a front view of the portable power distribution center of FIG. 9; FIG. 11 is a right side view of the portable power distribution center of FIG. 9; FIG. 12 is a rear view of the portable power distribution center of FIG. 9; FIG. 13 is a left side view of the portable power distribution center of FIG. 9; FIG. 14 is a top view of the portable power distribution center of FIG. 9; FIG. 15 is a bottom view of the portable power distribution center of FIG. 9; and, FIG. 16 is a perspective view of the portable power distribution center of FIG. 9, wherein the covers of the distribution center are shown in a closed position. The broken lines shown in the figures represent portions of the portable power distribution center that form no part of the claimed design.

1 Claim, 12 Drawing Sheets



(58) **Field of Classification Search**

CPC . H02G 3/088; F16J 13/06; F16J 13/10; F16B
5/02

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D689,024 S	*	9/2013	Takata	D13/152
D743,908 S	*	11/2015	Koberg	D13/152
D762,582 S	*	8/2016	Salomon	D13/147

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16