



US00D798856S

(12) **United States Design Patent** (10) **Patent No.:** **US D798,856 S**
Menendez et al. (45) **Date of Patent:** **** Oct. 3, 2017**

(54) **INFORMATION COMMUNICATION DEVICE HOUSING**

(71) Applicant: **Dell Products L.P.**, Round Rock, TX (US)

(72) Inventors: **Mark D. Menendez**, Austin, TX (US);
Paul J. Doczy, Austin, TX (US)

(73) Assignee: **Dell Products L.P.**, Round Rock, TX (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/565,013**

(22) Filed: **May 17, 2016**

(51) **LOC (10) Cl.** **14-02**

(52) **U.S. Cl.**
USPC **D14/313**

(58) **Field of Classification Search**
 USPC D14/240, 300, 301, 308, 313, 314,
 D14/348-356, 364-368, 441-446, 188;
 D13/110, 123, 133, 158, 162, 184, 199;
 312/223.1-223.3, 351.11;
 360/99.01-99.12; 369/34.01-36.01;
 361/679.31-679.33, 679.37, 679.39,
 361/679.46, 679.53, 679.4, 679.41, 727
 CPC . G06F 1/20; G06F 1/181; G06F 1/187; G06F
 1/183; G06F 1/184; G06F 1/16; H05K
 7/16; H05K 7/1424; H05K 7/1409; H05K
 7/20; H05K 7/20545; H05K 7/20727;
 H05K 7/1425; H05K 7/1488; H05K
 7/183; H05K 7/14; H05K 5/00; H05K
 7/00; H05H 7/20; G11B 33/126; G11B
 33/128; G11B 33/08; G11B 33/02
 See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,935,717 A * 6/1990 Osawa H01H 85/0241
 338/51
 D337,114 S * 7/1993 Mantz D13/184

D343,395 S * 1/1994 Kakizaki D14/188
 D352,275 S * 11/1994 Crawley D13/122
 D379,174 S * 5/1997 Kornblum D13/123
 D428,006 S * 7/2000 Sagues D14/356
 D431,816 S * 10/2000 Beaumont D14/188
 D464,327 S * 10/2002 Frank, Jr. D13/162
 D684,151 S * 6/2013 Andersson D14/314
 D707,197 S * 6/2014 Jaenecke D14/157
 D737,817 S * 9/2015 Starck D14/365

* cited by examiner

Primary Examiner — Freda S Nunn

(74) *Attorney, Agent, or Firm* — Terrile, Cannatti,
Chambers & Holland, LLP; Robert W. Holland


(57) **CLAIM**

We claim the ornamental design for an information communication device housing, as shown and described.

DESCRIPTION

FIG. 1 is a front lower perspective view of the information communication device housing comprising the present invention;
 FIG. 2 is a front view thereof;
 FIG. 3 is a rear view thereof;
 FIG. 4 is a right side view thereof;
 FIG. 5 is a left side view thereof;
 FIG. 6 is a top view thereof;
 FIG. 7 is a bottom view thereof; and,
 FIG. 8 is a front upper perspective view thereof installed to engage with other communication components mounted on a wall.
 Broken lines shown in the drawings illustrate portions of the information communication device housing, and form no part of the claimed design.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8