



US00D798944S

(12) **United States Design Patent** (10) **Patent No.:** **US D798,944 S**
Nash et al. (45) **Date of Patent:** **** Oct. 3, 2017**

(54) **DECORATIVE NOSE BRIDGE AND LOWER FRAME ELEMENTS ON SAFETY EYE WEAR**

D616,486 S 5/2010 Carlow
D620,040 S 7/2010 Daems
D624,952 S 10/2010 Carlow
(Continued)

(71) Applicant: **3M INNOVATIVE PROPERTIES COMPANY**, St. Paul, MN (US)

FOREIGN PATENT DOCUMENTS

(72) Inventors: **James E. Nash**, Bloomington, MN (US); **Glen E. Stanley**, Woodstock, CT (US)

CN 3099673 1/1999
CN 302054704 8/2012
(Continued)

(73) Assignee: **3M Innovative Properties Company**, St. Paul, MN (US)

OTHER PUBLICATIONS

(**) Term: **15 Years**

Rozelle Mirror, posted at albo.biz, posting date not given, [online], [site visited Jun. 20, 2017]. Available from Internet, <URL: <http://www.albo.biz/enus/Safetyspectacle/ISPECTORglasses/Rozellemirror>>.*

(21) Appl. No.: **29/563,075**

(Continued)

(22) Filed: **May 2, 2016**

(51) **LOC (10) Cl.** **16-06**

Primary Examiner — George D Kirschbaum

(52) **U.S. Cl.**

Assistant Examiner — Maria Edwards

USPC **D16/320**

(58) **Field of Classification Search**

(57) **CLAIM**

USPC D16/100, 301, 303, 315, 320, 321
CPC G02C 5/02; G02C 5/126
See application file for complete search history.

The ornamental design for decorative nose bridge and lower frame elements on safety eye wear, as shown and described.

(56) **References Cited**


DESCRIPTION

U.S. PATENT DOCUMENTS

D334,758 S	4/1993	Reymondet	
D372,490 S	8/1996	Sheffield	
D454,580 S	3/2002	Wolfe	
D502,494 S *	3/2005	Yang	D16/315
D524,354 S *	7/2006	Yang	D16/320
D535,317 S	1/2007	Wolfe	
D537,103 S	2/2007	Sheldon	
D544,020 S *	6/2007	Thixton	D16/320
D549,269 S	8/2007	Daems	
D549,763 S	8/2007	Daems	
D569,413 S	5/2008	Wong	
D582,467 S	12/2008	Hsu	
D597,122 S	7/2009	Daems	
7,648,233 B2	1/2010	Blanshay	

FIG. 1 is a front perspective view of safety eye wear showing the new design for decorative nose bridge and lower frame elements;
FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a top view thereof;
FIG. 5 is a side view thereof; and,
FIG. 6 is a bottom view thereof.
Broken lines form no part of the claimed design, and any shading is provided to illustrate contour only and is not an indication of texture, gloss, etc.

1 Claim, 3 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D634,772 S 3/2011 Fox
 D636,807 S 4/2011 Lebel
 D638,875 S 5/2011 Sheldon
 D638,877 S 5/2011 Sheldon
 D653,279 S 1/2012 Stanley
 D670,324 S 11/2012 Okuma
 D681,093 S 4/2013 Slosar
 D682,917 S 5/2013 Stables
 D690,763 S 10/2013 Lee
 D710,429 S 8/2014 Rhea
 D716,865 S 11/2014 Flaxman
 D718,370 S 11/2014 Votel
 D722,638 S 2/2015 Stanley
 D726,809 S 4/2015 Stanley
 D735,795 S 8/2015 McGinn
 D747,402 S * 1/2016 Shin D16/320
 D748,717 S 2/2016 Yang
 D754,781 S * 4/2016 Fitzritson D16/306
 D755,882 S * 5/2016 Keplinger D16/309
 2007/0279579 A1 * 12/2007 Stanley G02C 3/003
 351/62
 2013/0229614 A1 * 9/2013 Marini G02C 5/16
 351/114
 2016/0016370 A1 * 1/2016 Sheldon B29D 12/02
 351/178

FOREIGN PATENT DOCUMENTS

EM 000281613-0007 3/2005
 EM 000281613-0010 3/2005
 EM 000745187-0001 7/2007
 EM 000966916-0001 7/2008
 EM 000966916-0002 7/2008
 EM 001036958-0001 12/2008
 EM 001957028-0001 12/2011
 JP D1399096 10/2010
 WO D061231-001 10/2002

OTHER PUBLICATIONS

3M SecureFit Protective Eyewear 600, posted at facilityexecutive.com, posting date Feb. 28, 2017, [online], [site visited Jun. 20, 2017]. Available from Internet, <URL: <https://facilityexecutive.com/2017/02/3msecurefitprotectiveeyewear600/>>.*
 “3M safety glasses”: [retrieved from internet on Jun. 13, 2016], URL <http://solutions.3m.com/wps/porta1/3M/en_US/3M-PPE-Safety-Solutions/Personal-Protective-Equipment/Products/Product-Catalog/~/3M-SecureFit-400-Series-Protective-Eyewear-SF402AF-GRAY-Anti-fog-lens-20ea-cs?N=5003987+3294245772&rt=rud>, pp. 3.
 DeWalt DPG56B Ventilator™ Protective Eyewear, <http://www.dewalt.com/en-us/product-repository/products-dewalt/2016/06/05/02/18/dpg56b>, retrieved from internet on Oct. 31, 2016.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6