



US00D799099S

(12) **United States Design Patent**
Gismondi

(10) **Patent No.:** **US D799,099 S**

(45) **Date of Patent:** **** Oct. 3, 2017**

(54) **LIGHTING FIXTURE**

(71) Applicant: **ARTEMIDE S.p.A.**, Milan (IT)

(72) Inventor: **Ernesto Gismondi**, Milan (IT)

(73) Assignee: **ARTEMIDE S.p.A.** (IT)

(**) Term: **15 Years**

(21) Appl. No.: **29/540,964**

(22) Filed: **Sep. 29, 2015**

(30) **Foreign Application Priority Data**

Mar. 31, 2015 (EM) 002673467

(51) **LOC (10) Cl.** **26-03**

(52) **U.S. Cl.**
USPC **D26/89**

(58) **Field of Classification Search**
USPC D26/67, 70, 72, 82–86, 88–91, 118, 128,
D26/129, 132
CPC F21S 8/06; F21S 8/061; F21S 8/063; F21S
8/065; F21S 8/068; F21V 3/0418; F21V
3/0427; F21V 3/0436; F21V 3/0445;
F21V 21/008; F21V 21/104
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D114,101 S *	4/1939	Gregg	D26/86
D169,063 S *	3/1953	Gregg	D11/156
2,711,476 A *	6/1955	Wells	F21V 1/00 362/352
D220,916 S *	6/1971	McNamara, Jr.	D26/85
D237,000 S *	9/1975	Tongson	D26/129
D267,900 S *	2/1983	Ishii	D26/83
D429,360 S *	8/2000	Chelf	D26/86
D481,484 S *	10/2003	Cuevas	D26/84
D548,387 S *	8/2007	McDowell	D26/118

D612,531 S *	3/2010	Smith	D26/137
D626,680 S *	11/2010	Verelst	D26/85
D684,294 S *	6/2013	Goodson	D26/118

* cited by examiner

Primary Examiner — Clare E Heflin

(74) *Attorney, Agent, or Firm* — The Belles Group, P.C.


(57) **CLAIM**

I claim the ornamental design for a lighting fixture, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a lighting fixture in accordance with a first embodiment of the present invention; FIG. 2 is a front view thereof; FIG. 3 is a left-side view thereof; FIG. 4 is a right-side view thereof; FIG. 5 is a rear view thereof; FIG. 6 is a top view thereof; FIG. 7 is a bottom view thereof; FIG. 8 is a perspective view of a lighting fixture in accordance with a second embodiment of the present invention; FIG. 9 is a front view thereof; FIG. 10 is a left-side view thereof; FIG. 11 is a right-side view thereof; FIG. 12 is a rear view thereof; FIG. 13 is a top view thereof; FIG. 14 is a bottom view thereof; FIG. 15 is a perspective view of a lighting fixture in accordance with a third embodiment of the present invention; FIG. 16 is a front view thereof; FIG. 17 is a left-side view thereof; FIG. 18 is a right-side view thereof; FIG. 19 is a rear view thereof; FIG. 20 is a top view thereof; and, FIG. 21 is a bottom view thereof.

1 Claim, 21 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21