



US00D799200S

(12) **United States Design Patent** (10) **Patent No.:** **US D799,200 S**  
**Agbeyo** (45) **Date of Patent:** **\*\* Oct. 10, 2017**

- (54) **INSTRUMENT CASE** 4,517,660 A 5/1985 Fushimoto et al.
- D283,950 S 5/1986 Markowitz
- (71) Applicant: **Cornfield Transnational Limited,** D309,628 S 7/1990 Sawada et al.
- Abula Ebga (NG) 4,939,514 A 7/1990 Miyazaki
- (72) Inventor: **Babatope Agbeyo,** Lagos (NG) D333,315 S 2/1993 Sereika et al.
- D372,579 S 8/1996 Lin
- (73) Assignee: **Cornfield Transnational Limited** (NG) D379,098 S 5/1997 Lin
- D382,009 S 8/1997 Miller, Jr.
- 6,382,421 B1 5/2002 Dao

(\*\*) Term: **15 Years**

(Continued)

**FOREIGN PATENT DOCUMENTS**

- (21) Appl. No.: **29/555,217**
- (22) Filed: **Feb. 19, 2016**

- CN 2490892 Y 5/2002
- CN 2768539 Y 4/2006

(Continued)

**Related U.S. Application Data**

- (62) Division of application No. 29/480,776, filed on Jan. 29, 2014, now Pat. No. Des. 751,808.

*Primary Examiner* — Catherine R Oliver-Garcia  
(74) *Attorney, Agent, or Firm* — Blank Rome LLP; Tara L. Marcus

(30) **Foreign Application Priority Data**

- Oct. 23, 2013 (EM) ..... 002331660-001
- Oct. 23, 2013 (EM) ..... 002331660-002
- Oct. 23, 2013 (EM) ..... 002331660-003
- Oct. 23, 2013 (EM) ..... 002331660-004
- Oct. 23, 2013 (EM) ..... 002331660-005
- Oct. 23, 2013 (EM) ..... 002331660-006

(57) **CLAIM**

The ornamental design for an instrument case, as shown and described.

- (51) **LOC (10) Cl.** ..... **03-01**
- (52) **U.S. Cl.**

- (58) **Field of Classification Search**
- USPC ..... **D3/201**
- USPC ..... D3/201, 205–212, 273–274, 294;  
D14/346–347, 137–139; D19/106;  
D18/1–2, 6–7, 11–12; 206/38, 232;  
361/679.15, 679.27


**DESCRIPTION**

FIG. 1 is a front elevational view of an instrument case in accordance with the present inventions;  
FIG. 2 is a rear elevational view of the instrument case illustrated in FIG. 1;  
FIG. 3 is a right side elevational view of the instrument case illustrated in FIG. 1;  
FIG. 4 is a left side elevational view of the instrument case illustrated in FIG. 1;  
FIG. 5 is a top plan view of the instrument case illustrated in FIG. 1;  
FIG. 6 is a bottom plan view of the instrument case illustrated in FIG. 1; and,  
FIG. 7 is a plan view of the instrument case illustrated in FIG. 1, showing the instrument case in an open position.

- (56) **References Cited**
- U.S. PATENT DOCUMENTS

- D236,488 S 8/1975 Fossella
- 4,002,233 A 1/1977 Page, Jr.

**1 Claim, 3 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D520,178 S	5/2006	Xu
D540,372 S	4/2007	Young
D570,099 S	6/2008	Bhavnani
D624,304 S	9/2010	Danze et al.
D633,133 S	2/2011	Takaghi
D652,070 S	1/2012	Takahashi
D676,079 S	2/2013	Rubin

FOREIGN PATENT DOCUMENTS

CN	201767264 U	3/2011
CN	202396718 U	8/2012
CN	202722888 U	2/2013
CN	202999678 U	6/2013
GB	08-2481455 A	12/2011

FIG. 4




FIG. 1




FIG. 5




FIG. 2




FIG. 3





FIG. 6






FIG. 7