

US00D799355S

(12) **United States Design Patent** (10) **Patent No.:** **US D799,355 S**
Riffner (45) **Date of Patent:** **** Oct. 10, 2017**

- (54) **LED LIGHT POLE**
- (71) Applicant: **Innovative Imports, Inc.**, San Dimas, CA (US)
- (72) Inventor: **Robert Riffner**, Upland, CA (US)
- (73) Assignee: **INNOVATIVE IMPORTS, INC.**, San Dimas, CA (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/575,813**
- (22) Filed: **Aug. 29, 2016**
- (51) **LOC (10) Cl.** **10-05**
- (52) **U.S. Cl.**
USPC **D10/111**
- (58) **Field of Classification Search**
USPC D10/104.1, 109.1, 109.2, 110, 111,
D10/114.1-114.8; D26/28, 35, 36, 102,
D26/104, 118, 120, 122
CPC F21W 2101/02; F21W 2101/10; F21W
2101/14
See application file for complete search history.

- 7,845,820 B2 * 12/2010 Bertken F21L 4/02
362/120
- D648,241 S * 11/2011 Kuwano D10/114.1
- D648,466 S * 11/2011 Hickman D26/42
- D652,334 S * 1/2012 Kuwano D10/114.1
- D671,436 S * 11/2012 Yu D10/114.2
- D720,247 S * 12/2014 Covelli D10/114.2
- 2012/0257377 A1 * 10/2012 Schrimmer F21L 4/027
362/119
- 2013/0264966 A1 * 10/2013 Hazawa G09F 9/33
315/297
- 2014/0204583 A1 * 7/2014 Hung H05B 37/0272
362/249.05
- 2017/0130911 A1 * 5/2017 Li F21K 9/68
- 2017/0159890 A1 * 6/2017 Marlow F21V 21/005

* cited by examiner

Primary Examiner — George D Kirschbaum
Assistant Examiner — Joseph Kukella

(57) **CLAIM**


The ornamental design for an LED light pole, as, shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an LED light pole according to the present invention.
FIG. 2 is a front view thereof;
FIG. 3 is a first side view thereof;
FIG. 4 is a second side view thereof;
FIG. 5 is a rear view thereof;
FIG. 6 is a top view thereof; and,
FIG. 7 is a bottom view thereof.
The dashed broken lines illustrate environmental structure and form no part of the claimed design.

1 Claim, 2 Drawing Sheets

- (56) **References Cited**
U.S. PATENT DOCUMENTS
D392,329 S * 3/1998 Harrington D10/109.1
D428,107 S * 7/2000 Liberato D22/142
D521,168 S * 5/2006 Waters D10/114.1
7,287,874 B2 * 10/2007 Irisawa F21L 4/02
340/815.45
D562,715 S * 2/2008 Treloar D10/113.3
D622,438 S * 8/2010 Sasada D26/113






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6



FIG. 7