



US00D799587S

(12) **United States Design Patent**  
**Thixton**

(10) **Patent No.:** **US D799,587 S**  
(45) **Date of Patent:** **\*\* Oct. 10, 2017**

- (54) **SET OF EYEGLASS COMPONENTS**
- (71) Applicant: **Oakley, Inc.**, Foothill Ranch, CA (US)
- (72) Inventor: **Lek Haagen Thixton**, Eastsound, WA (US)
- (73) Assignee: **Oakley, Inc.**, Foothill Ranch, CA (US)
- (\*\*) Term: **15 Years**
- (21) Appl. No.: **29/580,104**
- (22) Filed: **Oct. 5, 2016**

- D334,389 S 3/1993 Bolle
- D335,887 S 5/1993 Jannard
- 5,208,614 A 5/1993 Jannard
- D342,959 S 1/1994 Jannard et al.
- D350,145 S 8/1994 Yamamoto
- D358,828 S 5/1995 Jannard et al.
- D359,971 S 7/1995 Jannard
- D365,357 S 12/1995 Jannard et al.
- D374,448 S 10/1996 Yee et al.
- D376,163 S 12/1996 Jannard et al.
- D384,362 S 9/1997 Yee
- D397,132 S 8/1998 Yee
- D401,607 S 11/1998 Miniutti
- D426,254 S 6/2000 Nishimura

(Continued)

**Related U.S. Application Data**

- (63) Continuation of application No. 29/543,973, filed on Oct. 29, 2015, now Pat. No. Des. 774,590.
- (51) **LOC (10) Cl.** ..... **16-06**
- (52) **U.S. Cl.**  
USPC ..... **D16/335**
- (58) **Field of Classification Search**  
USPC ..... D16/101, 300-342, 900; D29/109-110; D21/483, 659-661; D14/372; 351/41, 351/44, 45-48, 51-52, 62, 158, 92, 351/103-123, 140-153, 63, 59; 2/13, 15, 2/426-432, 447-449, 441, 434-437  
CPC ..... G02C 2200/08; G02C 1/06; G02C 5/14; G02C 11/02; G02C 11/04; G02C 5/16; G02C 2200/22; G02C 5/146; G02C 5/2254; G02C 5/008; G01C 5/16; A61M 2021/0044; A63B 33/002  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- 2,288,423 A 6/1942 Root
- 3,066,573 A 12/1962 Moeller
- 3,565,517 A 2/1971 Gitlin et al.
- D323,333 S 1/1992 Jannard et al.

**OTHER PUBLICATIONS**

U.S. Appl. No. 29/543,951, filed Oct. 29, 2015, Uhm.  
(Continued)

*Primary Examiner* — Eric Goodman  
*Assistant Examiner* — Sanjeev Paul  
(74) *Attorney, Agent, or Firm* — Knobbe Martens Olson & Bear, LLP


(57) **CLAIM**

The ornamental design for a set of eyeglass components, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of an eyeglass component showing the new design;  
FIG. 2 is a front elevational view thereof;  
FIG. 3 is a rear elevational view thereof;  
FIG. 4 is a left side elevational view thereof, the right side elevational view being a mirror image thereof;  
FIG. 5 is a top plan view thereof; and,  
FIG. 6 is a bottom plan view thereof.  
The broken lines in the Figures show portions of the eyeglass which form no part of the claimed design.

**1 Claim, 4 Drawing Sheets**



(56)

References Cited

U.S. PATENT DOCUMENTS

D433,437 S \* 11/2000 Yee ..... D16/326  
 D462,081 S \* 8/2002 Wolfe  
 D479,553 S \* 9/2003 Jannard ..... D16/326  
 D505,150 S \* 5/2005 Yee ..... D16/314  
 D508,515 S \* 8/2005 Yee et al.  
 D513,025 S 12/2005 Canavan  
 D513,761 S \* 1/2006 Yee ..... D16/321  
 D524,845 S \* 7/2006 Hsu ..... D16/326  
 D533,572 S 12/2006 Howard et al.  
 D543,572 S 5/2007 Yee et al.  
 D564,568 S \* 3/2008 Moritz ..... D16/315  
 D568,365 S 5/2008 Fuchs  
 D568,917 S 5/2008 Yee  
 D581,444 S 11/2008 Jannard et al.  
 D585,474 S 1/2009 Tu  
 D588,627 S 3/2009 Yee et al.  
 D599,835 S 9/2009 Yee  
 D599,836 S 9/2009 Rohrbach  
 D604,757 S 11/2009 Yee  
 D605,686 S 12/2009 Yasuhara  
 D614,685 S \* 4/2010 Moritz ..... D16/321  
 D622,302 S 8/2010 Yee  
 D622,303 S 8/2010 Thixton  
 D629,036 S 12/2010 Yee et al.  
 D640,725 S \* 6/2011 Moritz ..... D16/315  
 D653,278 S \* 1/2012 Earley ..... D16/315  
 D653,697 S 2/2012 Taylor et al.  
 D655,741 S \* 3/2012 Yee ..... D16/320  
 D659,180 S \* 5/2012 Moritz ..... D16/314  
 D659,746 S \* 5/2012 Chen ..... D16/314  
 D670,754 S \* 11/2012 Kuo ..... D16/315  
 D673,996 S \* 1/2013 Kim ..... D16/309  
 D678,933 S \* 3/2013 Kim ..... D16/316  
 D683,784 S 6/2013 Miera  
 D700,932 S \* 3/2014 Yee ..... D16/325  
 D703,260 S \* 4/2014 Yoo ..... D16/335  
 D703,733 S \* 4/2014 Thixton ..... D16/335

D705,339 S \* 5/2014 Yoo ..... D16/315  
 D705,340 S \* 5/2014 Shin ..... D16/320  
 D707,284 S \* 6/2014 Yoo ..... D16/326  
 D711,962 S \* 8/2014 Thixton ..... D16/335  
 D714,858 S 10/2014 Thixton  
 D728,002 S 4/2015 Uhm  
 D728,008 S \* 4/2015 Thixton ..... D16/335  
 D729,305 S 5/2015 Garfias  
 D729,866 S \* 5/2015 Yoo ..... D16/326  
 D736,304 S \* 8/2015 Earley ..... D16/315  
 D737,364 S \* 8/2015 Shin ..... D16/315  
 D746,355 S 12/2015 Uhm  
 D752,678 S \* 3/2016 Thixton ..... D16/326  
 D761,898 S \* 7/2016 Yoo ..... D16/326  
 D763,945 S \* 8/2016 Thixton ..... D16/320  
 D763,946 S \* 8/2016 Chae ..... D16/326  
 D767,008 S \* 9/2016 Thixton ..... D16/101  
 D769,963 S \* 10/2016 Shin ..... D16/335  
 D774,590 S \* 12/2016 Thixton ..... D16/315  
 D778,340 S \* 2/2017 Garfias ..... D16/315  
 D779,583 S \* 2/2017 Garfias ..... D16/335  
 D783,080 S \* 4/2017 Garfias ..... D16/314  
 D783,083 S \* 4/2017 Shin ..... D16/335  
 D783,707 S \* 4/2017 Uhm ..... D16/335  
 D783,708 S \* 4/2017 Chae ..... D16/335  
 D789,440 S \* 6/2017 Uhm ..... D16/330  
 2011/0007262 A1 \* 1/2011 Taylor ..... G02C 1/04  
 351/60  
 2011/0194065 A1 \* 8/2011 Belbey ..... A61F 9/025  
 351/60

OTHER PUBLICATIONS

U.S. Appl. No. 29/543,961, filed Oct. 29, 2015, Thixton.  
 Amazon.com, Inc. Website (Japan Patent Office, Design Division,  
 Publicly-Known Document No. HJ25024614).  
 Safety Products Catalog No. 6 p. 24 1320-S (Japan Patent Office,  
 Design Division, Publicly-Known Document No. HC17038755).

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6