

US00D799777S

(12) **United States Design Patent** (10) **Patent No.:** **US D799,777 S**  
**Cloutier** (45) **Date of Patent:** **\*\* \*Oct. 10, 2017**

(54) **BENDING BRAKE ASSEMBLY SET**

(71) Applicant: **Alexandre Cloutier**, Cumberland (CA)

(72) Inventor: **Alexandre Cloutier**, Cumberland (CA)

(\*) Notice: This patent is subject to a terminal disclaimer.

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/516,620**

(22) Filed: **Feb. 4, 2015**

**Related U.S. Application Data**

(62) Division of application No. 29/453,670, filed on May 1, 2013, now Pat. No. Des. 747,589.

(51) **LOC (10) Cl.** ..... **12-05**

(52) **U.S. Cl.**  
USPC ..... **D34/29**

(58) **Field of Classification Search**

USPC ..... D34/29, 35; 198/844.2; 24/37, 31 R,  
24/132; 474/257

CPC ..... F16G 3/00; F16G 3/02; F16G 3/10; F16G  
3/16

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

|              |         |                 |
|--------------|---------|-----------------|
| 1,643,037 A  | 9/1927  | Vollrath        |
| 1,686,300 A  | 10/1928 | Vollrath        |
| 4,489,827 A  | 12/1984 | Anderson        |
| 4,502,594 A  | 3/1985  | Sijbrandij      |
| 4,734,959 A  | 4/1988  | Jaubert         |
| D299,077 S   | 12/1988 | Abbestam et al. |
| D301,179 S   | 5/1989  | Miller          |
| 5,114,001 A  | 5/1992  | Anderson        |
| 7,707,693 B2 | 5/2010  | Schaefer        |

|              |        |                 |        |
|--------------|--------|-----------------|--------|
| D701,015 S   | 3/2014 | Specht          |        |
| D724,289 S   | 3/2015 | Phillips et al. |        |
| D747,589 S * | 1/2016 | Cloutier        | D34/29 |

\* cited by examiner

*Primary Examiner* — Cynthia Ramirez

(74) *Attorney, Agent, or Firm* — Garrett James O'Sullivan

(57) **CLAIM**

The ornamental design for a bending brake assembly set, as shown and described.

**DESCRIPTION**

FIG. 1 is a side view of a bending brake assembly set;  
FIG. 2 is a top view of the bending brake assembly set of FIG. 1;

FIG. 3 is a bottom view of the bending brake assembly set of FIG. 1;

FIG. 4 is a right side view of the bending brake assembly set of FIG. 1;

FIG. 5 is a left side view of the bending brake assembly set of FIG. 1;

FIG. 6 is a side view of a bracket forming part of the bending brake assembly set of FIG. 1;

FIG. 7 is a top view of the bracket forming part of the bending brake assembly set of FIG. 1;


FIG. 8 is a bottom view of the bracket forming part of the bending brake assembly set of FIG. 1;

FIG. 9 is a right side view of the bracket forming part of the bending brake assembly set of FIG. 1; and,

FIG. 10 is a left side view of the bracket forming part of the bending brake assembly set of FIG. 1.

Only the bracket element of the bending brake assembly set is shown in FIGS. 6 through 10 for convenience of illustration.

**1 Claim, 2 Drawing Sheets**






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10