



US00D799859S

(12) **United States Design Patent**
Whaley

(10) **Patent No.:** **US D799,859 S**
(45) **Date of Patent:** **** Oct. 17, 2017**

(54) **MULTI-PURPOSE ADJUSTABLE RETAINING DEVICE**

(71) Applicant: **Bed Band Store, LLC**, Dublin, TX (US)

(72) Inventor: **Jamie D. Whaley**, Dublin, TX (US)

(73) Assignee: **Bed Band Store, LLC**, Alberton, MT (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/524,939**

(22) Filed: **Apr. 24, 2015**

(51) **LOC (10) Cl.** **06-99**

(52) **U.S. Cl.**
USPC **D6/607**

(58) **Field of Classification Search**
USPC D6/582-583, 587-592, 595-609,
D6/617-622; D21/803-809; D24/183
CPC A47G 9/00; A47G 2009/001; A47G
2009/002; A47G 2009/003; A47G 9/10;
A47G 9/1009; A47G 2009/1018; A47G
9/1045; A47G 9/1081; A47G 9/109;
A47G 2009/005; A47G 2009/006; A47G
9/02; A47G 9/0207; A47G 9/0215; A47G
9/0223; A47G 9/023; A47G 9/0238;
A47G 9/0246; A47G 9/0253; A47G
9/0261; A47G 2009/0269; A47G 11/002;
A47G 21/165
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

481,425 A 8/1892 Robinson
852,180 A * 4/1907 Hoffman A47C 21/022
24/115 H
875,006 A 12/1907 Smith
1,061,259 A * 5/1913 Blofield et al. A47G 9/02
5/494

1,401,340 A * 12/1921 Lindsay A47D 15/02
2/336
3,092,848 A * 6/1963 Gronvold A47C 21/022
2/305
4,199,830 A * 4/1980 Ogata A47C 21/022
24/72.5
D288,162 S * 2/1987 Hutton D11/212
4,662,016 A 5/1987 Seeman
4,829,617 A * 5/1989 Dameron A47C 21/022
24/306
5,144,695 A 9/1992 Schweizer
5,351,367 A 10/1994 Kennedy et al.
5,459,903 A 10/1995 Treacy
5,611,118 A 3/1997 Bibbee
5,632,069 A 5/1997 Mievis
5,657,557 A 8/1997 Hull et al.

(Continued)

Primary Examiner — Mary Ann Calabrese
Assistant Examiner — Jennifer L Rempfer
(74) *Attorney, Agent, or Firm* — Scott T. Griggs; Griggs
Bergen LLP


(57) **CLAIM**

The ornamental design for a multi-purpose adjustable retaining device, as shown and described.

DESCRIPTION

FIG. 1 depicts a top plan view of a multi-purpose adjustable retaining device;
FIG. 2 depicts a left side elevation view of the multi-purpose adjustable retaining device;
FIG. 3 depicts a bottom plan view of the multi-purpose adjustable retaining device;
FIG. 4 depicts a right side elevation view of the multi-purpose adjustable retaining device; and,
FIG. 5 depicts a top plan view of the of the multi-purpose adjustable retaining device being utilized with a bed sheet wherein the dashed and dotted lines shown are presented for environmental purposes only and form no part of the claimed design.

1 Claim, 2 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D387,602	S *	12/1997	Cerdan	D6/607
D393,183	S *	4/1998	Kurtzman	D11/200
D445,625	S *	7/2001	Smith	D6/607
6,425,167	B1 *	7/2002	Barbarite	A47G 25/00 24/298
6,442,762	B1	9/2002	Neumann	
6,530,131	B1 *	3/2003	Hopkins	A45F 5/00 24/3.13
6,941,619	B2 *	9/2005	Mackay	G02C 3/003 24/3.3
7,020,935	B2	4/2006	Behn et al.	
D539,697	S	4/2007	Mackay	
D577,497	S *	9/2008	Henneman	D6/326
7,698,759	B1 *	4/2010	Frasier	A47C 21/022 24/72.5
8,429,773	B2 *	4/2013	Herman	A47C 21/022 24/72.5
8,689,374	B2 *	4/2014	Rudd	A47C 21/022 24/265 EC
2004/0060113	A1 *	4/2004	Lantagne	A47C 21/022 5/494
2006/0211336	A1	9/2006	Brigham	
2010/0325842	A1	12/2010	Rivera	
2012/0005867	A1	1/2012	Whaley	
2013/0104346	A1	5/2013	Kawaguchi	

* cited by examiner




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5