

US00D800040S

(12) **United States Design Patent** (10) **Patent No.:** **US D800,040 S**
Kasano et al. (45) **Date of Patent:** **** Oct. 17, 2017**

(54) **INSTRUMENT PANEL FOR AN AUTOMOBILE**

(71) Applicant: **Fuji Jukogyo Kabushiki Kaisha**,
Tokyo (JP)

(72) Inventors: **Mondo Kasano**, Tokyo (JP); **Hiroyuki Toya**, Tokyo (JP)

(73) Assignee: **Subaru Corporation**, Tokyo (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/576,361**

(22) Filed: **Sep. 2, 2016**

(30) **Foreign Application Priority Data**

Mar. 4, 2016 (JP) 2016004932

(51) **LOC (10) Cl.** **12-16**

(52) **U.S. Cl.**
USPC **D12/192**

(58) **Field of Classification Search**
USPC D14/157, 485, 489, 492, 488, 490;
D20/28, 35; D12/192, 190, 345, 415,
D12/110, 114; 296/70, 24.3, 37.12;
702/165; 345/158, 594; D10/113.4, 49,
D10/46, 98, 102, 103, 122, 123, 124, 125,
D10/126, 127; 715/839; D15/17, 28
CPC . B60R 21/045; B60R 2300/305; B60K 35/00;
G06F 3/04817; H04N 21/4307; H04N
21/4312
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D493,756 S * 8/2004 Yamamoto D12/192
D530,249 S * 10/2006 Norman D12/192
D596,096 S * 7/2009 Mori D12/192

D597,009 S * 7/2009 Tan D12/192
D607,808 S * 1/2010 Wilhelm D12/415
D621,761 S * 8/2010 Wiedeman D12/192
D653,185 S * 1/2012 Senda D12/192
D654,004 S * 2/2012 Hamajima D12/192
8,141,903 B2 * 3/2012 Atsumi B62D 25/145
180/78
D695,658 S * 12/2013 Igarashi D12/192
D696,613 S * 12/2013 Okita D12/192
D697,848 S * 1/2014 Maruyama D12/192
D697,849 S * 1/2014 Tanaka D12/192
D697,852 S * 1/2014 Yamagata D12/192
D704,609 S * 5/2014 Nakauchi D12/192
D705,145 S * 5/2014 Mangan D12/192
D705,711 S * 5/2014 Yamamoto D12/192
D726,611 S * 4/2015 Higashimori D12/192
D726,612 S * 4/2015 Wiedeman D12/192
D727,813 S * 4/2015 Yaguchi D12/192
D727,816 S * 4/2015 Takagi D12/192

(Continued)

FOREIGN PATENT DOCUMENTS

JP D1479595 * 9/2013

Primary Examiner — Lakiya Rogers

Assistant Examiner — Altaira Swangin

(74) *Attorney, Agent, or Firm* — Schiff Hardin LLP

(57) **CLAIM**

We claim the ornamental design for an “instrument panel for an automobile” thereof, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view for an “instrument panel for an automobile” showing my new design,

FIG. 2 is a front view thereof,

FIG. 3 is a rear view thereof,


FIG. 4 is a top view thereof,

FIG. 5 is a bottom view thereof,

FIG. 6 is a left-side view thereof; and,

FIG. 7 is a right-side view thereof.

1 Claim, 4 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D731,938	S	*	6/2015	Miyashita	D12/192
D733,021	S	*	6/2015	Takagi	D12/192
D737,186	S	*	8/2015	Nakao	D12/192
D761,709	S	*	7/2016	Shimizu	D12/192
D762,152	S	*	7/2016	Inagaki	D12/192
D762,153	S	*	7/2016	Inagaki	D12/192
D763,155	S	*	8/2016	Sahs	D12/192
D770,348	S	*	11/2016	Shimizu	D12/192
D770,953	S	*	11/2016	Tanaka	D12/192
D771,541	S	*	11/2016	Shouno	D12/192
D776,029	S	*	1/2017	Callum	D12/192
2011/0181066	A1	*	7/2011	Pandura	B60H 1/3407 296/24.34

* cited by examiner

Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7

