



US00D800174S

(12) **United States Design Patent**
Ghalsasi et al.

(10) **Patent No.:** **US D800,174 S**

(45) **Date of Patent:** **** Oct. 17, 2017**

(54) **INNER TUBE MEMBER WITH WATER DAM FOR USE IN AN AFTERTREATMENT SYSTEM**

(71) Applicant: **Cummins Emission Solutions, Inc.**,
Columbus, IN (US)

(72) Inventors: **Shriram Shridhar Ghalsasi**, Pune (IN); **Abhijeet A. Joshi**, Pune (IN)

(73) Assignee: **Cummins Emission Solutions, Inc.**,
Columbus, OH (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/516,107**

(22) Filed: **Jan. 29, 2015**

(51) **LOC (10) Cl.** **15-01**

(52) **U.S. Cl.**
USPC **D15/5**

(58) **Field of Classification Search**
USPC D15/5; D23/233-237, 244-249, 259,
D23/262, 263
CPC ... B60K 13/04; B60Y 2200/224; F01N 13/08;
Y02T 10/20
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 5,046,977 A * 9/1991 Rodskier F01N 13/004
181/221
- 5,904,042 A * 5/1999 Rohrbaugh F01N 3/0211
422/171
- D458,558 S * 6/2002 Tschetter D11/26
- D759,193 S * 6/2016 Gutierrez D23/200
- D766,404 S * 9/2016 Yamashita D23/249
- 2008/0173841 A1 * 7/2008 Sisk F16K 1/2265
251/306
- 2009/0260351 A1 * 10/2009 Cremeens F01N 3/005
60/310

- 2011/0023472 A1 * 2/2011 Saito F01N 3/0335
60/311
- 2011/0030353 A1 * 2/2011 Kamiya B01D 46/0063
60/297
- 2012/0199780 A1 * 8/2012 Smith F16K 1/2265
251/359
- 2012/0216513 A1 * 8/2012 Greber F01N 3/2066
60/295
- 2014/0208724 A1 * 7/2014 Denis F01N 3/2066
60/301
- 2014/0318111 A1 * 10/2014 Richey F01N 13/08
60/324
- 2014/0318112 A1 * 10/2014 Solbrig F01N 3/208
60/324
- 2014/0326528 A1 * 11/2014 Moen B60K 13/04
180/309
- 2014/0332549 A1 * 11/2014 Williams F01N 13/08
220/810
- 2016/0215673 A1 * 7/2016 Noren, IV F01N 3/2892
- 2016/0305297 A1 * 10/2016 Wadke F01N 3/208
- 2017/0037765 A1 * 2/2017 Downes, IV F01N 13/10

* cited by examiner

Primary Examiner — T. Chase Nelson

Assistant Examiner — Ania Aman

(74) *Attorney, Agent, or Firm* — Foley & Lardner LLP


(57) **CLAIM**

We claim the ornamental design for an inner tube member with water dam for use in an aftertreatment system, as shown and described.

DESCRIPTION

FIG. 1 is an isometric view of the claimed design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a left side elevational view thereof;
FIG. 5 is a right side elevational view thereof;
FIG. 6 is a top plan view thereof; and,
FIG. 7 is a bottom plan view thereof.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7