

US00D800220S

(12) United States Design Patent (10) Patent No.:

US D800,220 S ** Oct. 17, 2017 (45) **Date of Patent:** Park

23/30;

HUMAN BODY MODEL DEVICE FOR **OPERATIVE TRAINING**

Applicant: **EBM Corporation**, Tokyo (JP)

Inventor: Young-Kwang Park, Tokyo (JP)

Assignee: EBM CORPORATION, Tokyo (JP) (73)

(**) Term: 15 Years

Appl. No.: 29/537,107

Aug. 21, 2015 (22)Filed:

(30)Foreign Application Priority Data

	Feb. 25, 2015	F
	(51) LOC (10) C	(51)
	(52) U.S. Cl.	(52)
D19/62	USPC	
ation Search	(58) Field of Cla	(58)

USPC D19/59, 62; 434/262–263, 265–274 CPC G09B 23/28; G09B 23/281; G09B 23/283; G09B 23/285; G09B 23/288; G09B

(Continued)

References Cited (56)

U.S. PATENT DOCUMENTS

5,722,836 A	*	3/1998	Younker	G09B 23/285
5,800,179 A	*	9/1998	Bailey	434/267 G09B 23/285
				434/272

(Continued)

Primary Examiner — Ian Simmons Assistant Examiner — Mark Cavanna

(74) Attorney, Agent, or Firm — Konomi Takeshita

CLAIM (57)

The ornamental design for a human body model device for operative training, substantially as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a human body model device for operative training, shown in an assembled configuration showing my new design;

FIG. 2 is a front view thereof;

FIG. 3 is a right side view thereof;

FIG. 4 is a top plan view thereof;

FIG. 5 is a bottom plan view thereof;

FIG. 6 is an exploded perspective view thereof;

FIG. 7 is a top view of the cover portion of the human body model device for operative training shown in a flat, unassembled configuration with unclaimed dash/dash broken lines showing mountain folds;

FIG. 8 is a bottom view of the cover portion of the human body model device for operative training shown in a flat, unassembled configuration with unclaimed long dash/short dash/long dash broken lines showing valley folds;


FIG. 9 is a top view of the base portion of the human body model device for operative training shown in a flat, unassembled configuration with unclaimed long dash/short dash/ long dash broken lines showing valley folds;


FIG. 10 is a bottom view of the base portion of the human body model device for operative training shown in a flat, unassembled configuration with unclaimed dash/dash broken lines showing mountain folds; and,

FIG. 11 is another perspective view showing the human body model device for operative training in an assembled configuration shown in a condition of use with an environmental training device shown in dot/dash broken lines.

The dash/dash and long dash/short dash/long dash broken lines seen in FIGS. 7-10 are included for the purpose of illustrating unclaimed fold lines. The dot/dash broken lines seen in FIGS. 6 and 11 show an environment for the human body model device for operative training and form no part of the claimed design.

1 Claim, 11 Drawing Sheets





US D800,220 S Page 2

(58) Field of Classification		D607,937 S *		Ulendeeva
CPC G09B 23/3	06; G09B 23/32; G09B 23/34;	7,976,312 B2*	7/2011	Eggert G09B 23/281 434/267
See application file fo	G09B 23/36 or complete search history.	8,038,447 B1*	10/2011	Day-McCray G09B 23/34 434/267
(56) Referen	ces Cited	8,469,716 B2*	6/2013	Fedotov G09B 23/285
	DOCUMENTS	8,678,830 B2*	3/2014	434/262 Gurdin G09B 23/288
0.0.11111	DOCOMENTO	D716,376 S *	10/2014	434/265 Sommer D19/62
6,159,017 A * 12/2000	Coomansingh G09B 23/28	D710,370 S D724,144 S *		Felger D19/62
	434/266	D759,160 S *		Chan D19/62
6,234,804 B1* 5/2001	Yong G09B 23/34	2005/0084833 A1*	4/2005	Lacey G09B 23/285
	434/268			434/262
6,659,776 B1* 12/2003	Aumann G09B 23/285	2007/0166682 A1*	7/2007	Yarin G09B 23/285
	434/272			434/267
6,887,082 B2 * 5/2005	Shun G09B 23/28	2007/0275359 A1*	11/2007	Rotnes A61B 90/36
	434/272			434/262
7,284,986 B2 * 10/2007	Winnike G09B 23/30	2012/0164616 A1*	6/2012	Endo G09B 23/285
	434/262			434/267
7,594,815 B2 * 9/2009	Toly G09B 23/285			
	434/262	* cited by examine	r	




FIG.1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11