



US00D800528S

(12) **United States Design Patent** (10) **Patent No.:** **US D800,528 S**
Leibowitz (45) **Date of Patent:** **** Oct. 24, 2017**

(54) **DRIVE HANDLE**

(71) Applicant: **Shukla Medical**, Piscataway, NJ (US)

(72) Inventor: **Evan Leibowitz**, Linden, NJ (US)

(73) Assignee: **Shukla Medical**, Piscataway, NJ (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/571,649**

(22) Filed: **Jul. 20, 2016**

(51) **LOC (10) Cl.** **08-04**

(52) **U.S. Cl.**
USPC **D8/83**; D24/133

(58) **Field of Classification Search**
USPC D8/21, 25, 82-87, 107
CPC A47J 43/26; B25B 13/463; B25B 13/468;
B25B 15/04; B25G 1/005; B25G 1/085
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D100,612 S *	8/1936	Bryant	D8/83
D133,782 S *	9/1942	Pfeiffer	D8/82
D180,978 S *	9/1957	Wagner	D8/84
2,884,972 A *	5/1959	Harris	B25B 15/04
				81/177.1
3,343,577 A *	9/1967	Wagner	B25B 15/04
				16/DIG. 12
D229,475 S *	12/1973	Uboldi	D8/82
D305,723 S *	1/1990	Wilson	D8/82
D312,033 S *	11/1990	Carlson	D8/82
D314,497 S *	2/1991	Symiczek	D8/14
5,642,794 A *	7/1997	Chuang	B25B 13/463
				192/43
D452,423 S *	12/2001	Shimansky	D8/107
D467,486 S *	12/2002	Mathieu	D8/107
D473,442 S *	4/2003	Metcalf	D8/107
D473,443 S *	4/2003	Metcalf	D8/107
D494,829 S *	8/2004	Lin	D8/83

D513,378 S *	1/2006	Lin	D8/83
D600,991 S *	9/2009	Lai	D8/83
D610,891 S *	3/2010	Whitfield	D8/83
D629,666 S *	12/2010	Lai	D8/83
D684,836 S *	6/2013	Wong	D8/82
D685,621 S *	7/2013	Lin	D8/83
D686,480 S *	7/2013	Robinson	D8/83
D691,014 S *	10/2013	Hyma	D8/83
D691,015 S *	10/2013	Hyma	D8/83
D743,233 S *	11/2015	Cluthe	D8/85

(Continued)

OTHER PUBLICATIONS

Xtract-All Mini. Snagged Jun. 8, 2017 from <http://shuklamedical.com/products/xtract-all-mini/>.*

Primary Examiner — Philip S. Hyder

Assistant Examiner — Roselynn Cody

(74) *Attorney, Agent, or Firm* — Kim Winston LLP


(57) **CLAIM**

The ornamental design for a drive handle, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a drive handle in accordance with the new design;
FIG. 2 is a rear perspective view of the drive handle of FIG. 1;
FIG. 3 is a front view of the drive handle of FIG. 1;
FIG. 4 is a rear view of the drive handle of FIG. 1;
FIG. 5 is a top plan view of the drive handle of FIG. 1;
FIG. 6 is a bottom plan view of the drive handle of FIG. 1;
FIG. 7 is a left side view of the drive handle of FIG. 1; and,
FIG. 8 is a right side elevation view of the drive handle of FIG. 1.
The broken lines in the figures are directed to portions of the drive handle that form no part of the claim.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2015/0101432 A1* 4/2015 Gao F16H 1/28
74/405
2015/0196996 A1* 7/2015 Nelson B25B 15/04
81/63.1

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8