



US00D800562S

(12) **United States Design Patent** (10) **Patent No.:** **US D800,562 S**
Carpenter et al. (45) **Date of Patent:** **** Oct. 24, 2017**

(54) **BOTTLE**

(71) Applicant: **Bayer HealthCare LLC**, Whippany, NJ (US)

(72) Inventors: **Michael Scott Carpenter**, Arlington, TN (US); **David S. Reynolds, Jr.**, Collierville, TN (US)

(73) Assignee: **Bayer HealthCare LLC**, Whippany, NJ (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/566,782**

(22) Filed: **Jun. 2, 2016**

Related U.S. Application Data

(63) Continuation-in-part of application No. 29/553,225, filed on Jan. 29, 2016.

(51) **LOC (10) Cl.** **09-01**

(52) **U.S. Cl.**
USPC **D9/503; D9/549; D9/448**

(58) **Field of Classification Search**

USPC D9/434-435, 439, 447, 453, 448, 454, D9/500-505, 516, 520, 529-530, D9/537-542, 544-546, 549-550, 553, D9/556-558, 566, 574-575, 682, D9/685-692, 715, 719, 724, 763-783; D7/300, 300.1, 598, 509-511, 619.1, D7/619.2, 307, 308, 314, 315; D24/197; 215/378-379, 381-385, 370-371; 220/660, 662, 669-674, 675; 222/153.11, 222/402.11; 72/348
CPC ... B65D 1/00; B65D 1/02; B65D 1/12; B65D 1/14; B65D 1/16; B65D 1/40; B65D 1/44; B65D 1/023; B65D 1/0223; B65D 1/0233; B65D 1/165; B65D 1/238; B65D 1/246; B65D 1/253; B65D 23/00; B65D 2501/00;

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D228,625 S * 10/1973 Pearce D9/500
6,095,378 A * 8/2000 Potts B65D 83/38
222/402.1

(Continued)

OTHER PUBLICATIONS

Brushed aluminum bottles, specialtybottle.com, available Jan. 11, 2016, © 2017 Specialty Bottle [online], [site visited Feb. 8, 2017]. Available from Internet, <<http://web.archive.org/web/20160111052204/http://www.specialtybottle.com/aluminum-bottles/brushed>>.*

(Continued)

Primary Examiner — Anhdao Doan

Assistant Examiner — Mary Malley

(74) *Attorney, Agent, or Firm* — Lowenstein Sandler LLP


(57) **CLAIM**

The ornamental design for a bottle, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a bottle, showing our new design;
FIG. 2 is a front elevation view thereof;
FIG. 3 is a rear elevation view thereof;
FIG. 4 is a left side elevation view thereof;
FIG. 5 is a right side elevation view thereof;
FIG. 6 is a top plan view thereof;
FIG. 7 is a bottom plan view thereof;
FIG. 8 is a perspective view similar to FIG. 1, but showing the band at the base of the closure rotated to the unlocked position; and,
FIG. 9 is a perspective view similar to FIG. 8, but showing the cap portion without broken lines therein.
The broken lines depict environmental structure that forms no part of the claimed design.

1 Claim, 8 Drawing Sheets



(58) **Field of Classification Search**

CPC B65D 2501/0009; B65D 2501/0081; B65D
7/04; B65D 81/00; B65D 83/206; B65D
83/22; B21D 51/26; B21D 22/30; A62C
13/006

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,499,329 B1 * 12/2002 Enoki B21D 22/30
72/348
D530,622 S * 10/2006 Geiberger D9/688
D627,227 S * 11/2010 Andis D7/510
D699,516 S * 2/2014 Kim D7/510
D702,553 S * 4/2014 Jentsch D9/500
D730,184 S * 5/2015 Matsushita D9/435
D742,251 S * 11/2015 Kaanta D9/772
D752,977 S * 4/2016 Herbst D9/448
2003/0046971 A1 * 3/2003 Enoki B21D 51/26
72/348
2003/0102278 A1 * 6/2003 Chupak B65D 1/0207
215/40
2006/0277957 A1 * 12/2006 Fujishige B21D 51/26
72/46

OTHER PUBLICATIONS

Aluminum Screw Cap Cans, aluminumbottles.com, available Jun. 22, 2014, © 2016 Elemental Container [online], [site visited Feb. 7, 2017]. Available from Internet, <<http://www.aluminumbottles.com/consumer/>>.*

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9