



US00D800646S

(12) **United States Design Patent**  
**Sato et al.**

(10) **Patent No.:** **US D800,646 S**

(45) **Date of Patent:** **\*\* Oct. 24, 2017**

(54) **AUTOMOBILE TIRE**

(71) Applicant: **THE YOKOHAMA RUBBER CO., LTD.**, Minato-ku, Tokyo (JP)

(72) Inventors: **Kenichi Sato**, Tokyo (JP); **Naruhiko Honda**, Hiratsuka (JP)

(73) Assignee: **THE YOKOHAMA RUBBER CO., LTD.**, Minato-ku, Tokyo (JP)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/574,520**

(22) Filed: **Aug. 16, 2016**

(30) **Foreign Application Priority Data**

Feb. 16, 2016 (JP) ..... 2016-003242

(51) **LOC (10) Cl.** ..... **12-15**

(52) **U.S. Cl.**  
USPC ..... **D12/605**

(58) **Field of Classification Search**  
USPC ..... D12/604, 605  
CPC ..... B60C 13/00; B60C 1/00  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D412,476 S *	8/1999	Clementz	.....	D12/605
D452,203 S *	12/2001	Kajikawa	.....	D12/605
D540,740 S *	4/2007	Maxwell	.....	D12/605
D544,831 S *	6/2007	Kikkawa	.....	D12/605
D569,792 S *	5/2008	Holden	.....	D12/605
D581,354 S *	11/2008	Harvey	.....	D12/605
D588,529 S *	3/2009	Reese	.....	D12/605
D588,532 S *	3/2009	Shondel	.....	D12/605
D598,843 S *	8/2009	Maxwell	.....	D12/605
D610,980 S *	3/2010	Shondel	.....	D12/605
D610,981 S *	3/2010	Shondel	.....	D12/605

D628,959 S *	12/2010	Harvey	.....	D12/605
D638,783 S *	5/2011	Endou	.....	D12/605
D655,671 S *	3/2012	Yasunaga	.....	D12/605
D656,089 S *	3/2012	Miyazaki	.....	D12/605
D656,090 S *	3/2012	Sato	.....	D12/605
D669,845 S *	10/2012	Iwabuchi	.....	D12/605
D671,066 S *	11/2012	Morito	.....	D12/605
D678,832 S *	3/2013	Fontaine	.....	D12/605
D681,546 S *	5/2013	Sato	.....	D12/605
D681,547 S *	5/2013	Sato	.....	D12/605
D683,695 S *	6/2013	Takehima	.....	D12/605
D695,211 S *	12/2013	Yasunaga	.....	D12/605
D700,886 S *	3/2014	Matsumoto	.....	D12/605

(Continued)

*Primary Examiner* — George D. Kirschbaum

*Assistant Examiner* — Clese Moore, Jr.

(74) *Attorney, Agent, or Firm* — Banner & Witcoff, Ltd.


(57) **CLAIM**

The ornamental design for an automobile tire, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of an automobile tire showing our new design;  
 FIG. 2 is a front view thereof;  
 FIG. 3 is a rear view thereof;  
 FIG. 4 is a right side view thereof;  
 FIG. 5 is a left side view thereof;  
 FIG. 6 is a top view thereof;  
 FIG. 7 is a bottom view thereof;  
 FIG. 8 is a partially enlarged view of a portion defined by lines 8-8 shown in FIG. 1;  
 FIG. 9 is a partially enlarged view of a portion defined by lines 9-9 shown in FIG. 2; and,  
 FIG. 10 is a cross sectional view of a portion defined by lines 10-10 shown in FIG. 9.  
 In the drawings, the broken lines depict environmental subject matter only and form no part of the claimed design.

**1 Claim, 10 Drawing Sheets**



(56)


**References Cited**

U.S. PATENT DOCUMENTS


D701,826 S *	4/2014	Morito .....	D12/605
D710,297 S *	8/2014	Itoi .....	D12/605
D711,816 S *	8/2014	Iwabuchi .....	D12/605
D739,344 S *	9/2015	Kuwano .....	D12/605
D740,220 S *	10/2015	Nakamura .....	D12/605
D750,555 S *	3/2016	Iwabuchi .....	D12/605
D754,595 S *	4/2016	Tokizaki .....	D12/605
D769,182 S *	10/2016	Iwabuchi .....	D12/605
D769,807 S *	10/2016	Ishikawa .....	D12/605

\* cited by examiner

**FIG. 1**




**FIG. 2**







**FIG. 3**




**FIG. 4**



**FIG. 5**



**FIG. 6**







**FIG. 7**



**FIG. 8**



**FIG. 9**



**FIG. 10**

