



US00D800653S

(12) **United States Design Patent** (10) **Patent No.:** **US D800,653 S**
Smiedt et al. (45) **Date of Patent:** **** Oct. 24, 2017**

(54) **CHARGING SET**

(71) Applicant: **Push and Shove LLC**, New York, NY (US)

(72) Inventors: **Richard Smiedt**, New York, NY (US);
Karim Rashid, New York, NY (US)

(73) Assignee: **Push and Shove LLC**, New York, NY (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/551,340**

(22) Filed: **Jan. 12, 2016**

(51) **LOC (10) Cl.** **13-02**

(52) **U.S. Cl.**
USPC **D13/107**

(58) **Field of Classification Search**
USPC D13/106–110, 118–119, 184; D14/251,
D14/253, 432, 434

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D504,868 S * 5/2005 Lodato D13/107
D536,665 S * 2/2007 Solland D13/108

(Continued)

OTHER PUBLICATIONS

Curbed.com: Karim Rashid and Richard Smiedt Unveil New Battery Pack for Mobile Device Charging. Published Mar. 30, 2016. Retrieved from the internet at <<http://www.curbed.com/2016/3/30/11330688/home-tech-karim-rashid-bump-mobile-charging-battery>>, Feb. 14, 2017. 4 pages.*

(Continued)

Primary Examiner — Rosemary K Tarcza
Assistant Examiner — Christy Nemeth
(74) *Attorney, Agent, or Firm* — LaBatt, LLC

(57) **CLAIM**

The ornamental design for a charging set, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a charging set according to the present design, shown in an assembled configuration. FIG. 2 is a rear perspective view of the charging set, shown in an assembled configuration.

FIG. 3 is a rear perspective view of the charging set, shown in a disassembled configuration.

FIG. 4 is a top elevation view of the charging set, shown in an assembled configuration.

FIG. 5 is a front elevation view of the charging set, shown in an assembled configuration.

FIG. 6 is a right side elevation view of the charging set, shown in an assembled configuration, the left side elevation view being a mirror image thereof.

FIG. 7 is a rear elevation view of the charging set, shown in an assembled configuration.

FIG. 8 is a bottom elevation view of the charging set, shown in an assembled configuration.

FIG. 9 is a front perspective view of a cable holder component of the charging set, shown separately for ease of illustration.

FIG. 10 is a rear perspective view of the cable holder component of the charging set, shown separately for ease of illustration.

FIG. 11 is a top elevation view of the cable holder component of the charging set, shown separately for ease of illustration, the bottom elevation view being identical thereto.

FIG. 12 is a front elevation view of the cable holder component of the charging set, shown separately for ease of illustration, the rear elevation view being identical thereto.

(Continued)




FIG. 13 is a right side elevation view of the cable holder component of the charging set, shown separately for ease of illustration, the left side elevation view being identical thereto.

FIG. 14 is a front perspective view of a charging component of the charging set, shown separately for ease of illustration.

FIG. 15 is a rear perspective view of the charging component of the charging set, shown separately for ease of illustration.

FIG. 16 is a top elevation view of the charging component of the charging set, shown separately for ease of illustration.

FIG. 17 is a front elevation view of the charging component of the charging set, shown separately for ease of illustration.

FIG. 18 is a right side elevation view of the charging component of the charging set, shown separately for ease of illustration, the left side elevation view being a mirror image thereof.

FIG. 19 is a rear elevation view of the charging component of the charging set, shown separately for ease of illustration.

FIG. 20 is a bottom elevation view of the charging component of the charging set, shown separately for ease of illustration.

FIG. 21 is a front perspective view of a left side of a cord component of the charging set, shown separately and broken away for ease of illustration.

FIG. 22 is a front perspective view of a right side of the cord component of the charging set, shown separately and broken away for ease of illustration.

FIG. 23 is a top elevation view of the cord component of the charging set, shown separately for ease of illustration.

FIG. 24 is a front elevation view of the cord component of the charging set, shown separately for ease of illustration, the rear elevation view being identical thereto.

FIG. 25 is a right side elevation view of the cord component of the charging set, shown separately for ease of illustration.

FIG. 26 is a left side elevation view of the cord component of the charging set, shown separately for ease of illustration; and,

FIG. 27 is a bottom elevation view of the cord component of the charging set, shown separately for ease of illustration.

The broken lines in the drawings illustrate elements of the charging set that form no part of the claimed design.

1 Claim, 15 Drawing Sheets

(58) **Field of Classification Search**

CPC Y02E 60/12; Y02T 90/14; Y02T 90/122;
 Y02T 90/128; Y02T 90/163; Y02T
 10/7005; Y02T 10/705; Y02T 10/7088;
 H02J 7/025; H02J 7/0042; H02J 7/0044;
 H02J 7/0045; H02J 7/0003; H02J 7/0034;
 H02J 7/0054; H02J 7/1423; H02J
 2001/006; H02J 2001/008; H02J 3/32;
 H02J 3/008; H02J 7/0027; H02J 7/0013;
 H01F 38/14; H01R 13/6675; H01M
 2/1022; H01M 2/1055; H01M 10/44;
 H01M 10/46; H01M 10/425; B60L
 11/182; B60L 11/1809; B60L 11/1861;
 B60R 16/03

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D543,935	S	*	6/2007	Ke	D13/107
D599,738	S	*	9/2009	Amidei	D13/110
D623,129	S	*	9/2010	Kawakami	D13/107
D628,151	S	*	11/2010	Wegener	D13/108
D628,152	S	*	11/2010	Fujii	D13/108
D628,153	S	*	11/2010	Fujii	D13/108
D633,041	S	*	2/2011	Au Yeung	D13/108
D634,707	S	*	3/2011	Hosler	D13/108
D762,572	S	*	8/2016	Nazar	D13/108
D771,951	S	*	11/2016	Reishus	D4/100
2008/0164364	A1		7/2008	Kaltman	

OTHER PUBLICATIONS

Fluxmob, "BOLT2," <http://www.fluxmob.com/products/bolt2>, 3 pages, printed on Jan. 12, 2016.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 18




FIG. 17




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25



FIG. 26




FIG. 27