



US00D800707S

(12) **United States Design Patent**
Turgel et al.

(10) **Patent No.:** **US D800,707 S**
(45) **Date of Patent:** **** Oct. 24, 2017**

(54) **NETWORK DEVICE ENCLOSURE**

D538,267 S * 3/2007 Christianson D14/216
D596,159 S * 7/2009 Yamaji D14/209.1
D611,304 S * 3/2010 DeLeo D7/538

(71) Applicant: **ARRIS Enterprises, Inc.**, Suwanee,
GA (US)

(Continued)

(72) Inventors: **Ariel David Turgel**, San Francisco, CA
(US); **Jennifer D. Hays**, Ashland, NE
(US); **Wayne C. Weeks**, San Diego,
CA (US); **Christopher Warren Kohler**,
San Diego, CA (US); **Daniel Kendall
Harden**, Palo Alto, CA (US); **Elliot
Lucas Ortiz**, San Francisco, CA (US)

OTHER PUBLICATIONS

SURFboard WiFi Router with RipCurrent SBRAC1900P, no date
available, [online], [sited visited Oct. 12, 2016]. Retrieved from:
<url:http://surfboard.com/products/sbr-ac1900p/>.*

(Continued)

(73) Assignee: **ARRIS Enterprises LLC**, Suwanee,
GA (US)

Primary Examiner — Jeffrey D Asch

Assistant Examiner — Tracey J Bell

(74) *Attorney, Agent, or Firm* — Bart A. Perkins

(**) Term: **14 Years**

(57) **CLAIM**

(21) Appl. No.: **29/508,701**

The ornamental design for a network device enclosure, as
shown and described.

(22) Filed: **Nov. 10, 2014**

DESCRIPTION

(51) **LOC (10) Cl.** **14-03**

(52) **U.S. Cl.**
USPC **D14/240**; D14/358

(58) **Field of Classification Search**
USPC D10/104.1; D14/125, 137, 139,
D14/140–140.9, 155, 188, 203.1, 204,
D14/216, 217, 240, 242, 299, 348, 349,
D14/356–358, 363, 432, 433, 474, 480.1,
D14/496; D13/110, 123, 108, 158, 199;
D9/500, 506, 507, 414; D3/265
CPC H04L 12/00; H03K 17/00; H04W 88/00;
H04W 88/04; H04B 1/38
See application file for complete search history.

FIG. 1 is a front perspective view of the network device
enclosure.

FIG. 2 is a front elevation view of the network device
enclosure.

FIG. 3 is a right side elevation view of the network device
enclosure. The left side elevation view of the network device
enclosure is a mirror image of the right side elevation view
of the network device enclosure.

FIG. 4 is a rear elevation view of the network device
enclosure.

FIG. 5 is a top view of the network device enclosure; and,
FIG. 6 is a bottom view of the network device enclosure.


The broken lines shown in the figures that are immediately
adjacent to the areas included in the claim and define
unshaded regions represent the bounds of the claim. Broken
lines shown within broken line boundaries are directed to
environment. The broken lines form no part of the claimed
design.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D372,169 S * 7/1996 Newman D28/78
D438,526 S * 3/2001 Katayama D14/203.3
D469,690 S * 2/2003 Pau D9/424
D528,299 S * 9/2006 Kim D3/265

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D642,159 S * 7/2011 Joseph D14/215
D722,890 S * 2/2015 Bell D9/707
D725,078 S * 3/2015 Wong D14/216
D730,588 S * 5/2015 Risser D30/121
D733,098 S * 6/2015 Takamoto D14/215
D744,541 S * 12/2015 Langhammer D14/203.1
D766,215 S * 9/2016 Mackiewicz D14/216

OTHER PUBLICATIONS

NPL ARRIS_SURFboard_SBX-AC1200P_Quick_Start_Guide,
Jul. 2014, [online], [site visited Oct. 12, 2016]. Retrieved from:
<url:http://surfboard2016.signatureteam.com/wp-content/uploads/
2014/07/ARRIS_SURFboard_SBX-AC1200P_Quick_Start_
Guide.pdf>.*

Arris SURFboard AC3200 WiFi Router with RipCurrent using
G.hn, available Apr. 11, 2016, [online], [site visited Oct. 12, 2016].
Retrieved from <url: https://www.amazon.com/Arris-SURFboard-
AC3200-RipCurrent-SBR-AC3200P/dp/B01E3VN6IY>.*

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6