



US00D800795S

(12) **United States Design Patent** (10) **Patent No.:** **US D800,795 S**
Loew et al. (45) **Date of Patent:** **** Oct. 24, 2017**

(54) **RUBBER-TIRED ROAD ROLLER**
 (71) Applicant: **BOMAG GmbH**, Boppard (DE)
 (72) Inventors: **Roland Loew**, Klein-Winternheim (DE); **Christian Berg**, Völkentroth (DE); **Thomas Klein**, Wehr (DE); **Tobias Schönberg**, Oberelbert (DE)

D699,764 S * 2/2014 Loew D15/20
 D720,779 S * 1/2015 Loew D15/20
 D744,543 S * 12/2015 Loew D15/20
 D745,063 S * 12/2015 Loew D15/20
 D765,735 S * 9/2016 Roemer D15/20
 D789,424 S * 6/2017 Roemer D15/20
 2014/0161529 A1* 6/2014 Darscheid E01C 19/38
 404/84.05

* cited by examiner

(73) Assignee: **BOMAG GmbH**, Boppard (DE)
 (**) Term: **15 Years**

Primary Examiner — Mark Goodwin
 (74) *Attorney, Agent, or Firm* — Wood Herron & Evans LLP

(21) Appl. No.: **29/587,411**
 (22) Filed: **Dec. 13, 2016**

(57) **CLAIM**
 The ornamental design for a rubber-tired road roller, as shown and described.


(30) **Foreign Application Priority Data**
 Jun. 13, 2016 (EM) 003188713-0011
 (51) **LOC (10) Cl.** **15-03**
 (52) **U.S. Cl.**
 USPC **D15/20**
 (58) **Field of Classification Search**
 USPC D15/10, 20, 22–26, 28; 280/104, 124.11;
 180/20, 89.12; 404/122, 132, 125, 90
 CPC E02D 3/026; E02D 3/00; B30B 15/00
 See application file for complete search history.

DESCRIPTION

FIG. 1 is a right front perspective view of a rubber-tired road roller showing our new design;
 FIG. 2 is a left front perspective view of the rubber-tired road roller shown in FIG. 1;
 FIG. 3 is a right rear perspective view of the rubber-tired road roller shown in FIG. 1;
 FIG. 4 is a left rear perspective view of the rubber-tired road roller shown in FIG. 1;
 FIG. 5 is a front elevation view of the rubber-tired road roller shown in FIG. 1;
 FIG. 6 is a rear elevation view of the rubber-tired road roller shown in FIG. 1;
 FIG. 7 is a right side elevation view of the rubber-tired road roller shown in FIG. 1;
 FIG. 8 is a left side elevation view of the rubber-tired road roller shown in FIG. 1;
 FIG. 9 is a top plan view of the rubber-tired road roller shown in FIG. 1; and,
 FIG. 10 is a bottom plan view of the rubber-tired road roller shown in FIG. 1.

(56) **References Cited**
 U.S. PATENT DOCUMENTS
 D396,431 S * 7/1998 Lindgren D12/14
 D516,094 S * 2/2006 Dotsch D15/20
 D611,505 S * 3/2010 Loew D15/20
 D611,506 S * 3/2010 Loew D15/20
 D668,269 S * 10/2012 Tezuka D15/20
 D668,694 S * 10/2012 Tezuka D15/31
 D694,278 S * 11/2013 Ewringmann D15/20
 D694,279 S * 11/2013 Ewringmann D15/20

1 Claim, 10 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10