



US00D800832S

(12) **United States Design Patent** (10) **Patent No.:** **US D800,832 S**
Neill (45) **Date of Patent:** **** Oct. 24, 2017**

(54) **FOUR-SECTIONED BINDER FOR HOLDING CARDS**

(74) *Attorney, Agent, or Firm* — Kevin Keener; Keener and Associates P.C.

(71) Applicant: **Ultra Pro International, LLC**,
Commerce, CA (US)

(57) **CLAIM**

(72) Inventor: **Sonia Neill**, Bloomington, CA (US)

The ornamental design for a four-sectioned binder for holding cards, as shown and described.

(73) Assignee: **Ultra Pro International, LLC**,
Commerce, CA (US)

DESCRIPTION

(**) Term: **15 Years**

(21) Appl. No.: **29/529,435**

(22) Filed: **Jun. 7, 2015**

(51) **LOC (10) Cl.** **19-04**

(52) **U.S. Cl.**
USPC **D19/26**

(58) **Field of Classification Search**
USPC D19/26, 27, 32, 33, 100

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D262,461 S * 12/1981 Holson D19/26

D264,602 S * 5/1982 Plutsky D19/26

(Continued)

FOREIGN PATENT DOCUMENTS

DE 102005005992 A1 * 8/2006 G09F 5/04

JP 2005262851 A * 9/2005

WO WO 2014171588 A1 * 10/2014 B42D 3/18

OTHER PUBLICATIONS

Ultra Pro. <URL: http://www.ultrapro.com/product_info.php?products_id=3415>. Apr. 5, 2015. Binder for cards.*

Primary Examiner — Bridget L Eland

Assistant Examiner — Lauren McVey

FIG. 1 is a top perspective view of a four-sectioned binder for holding cards showing my new design, wherein the binder is in a fully closed configuration and secured with an elastic band;

FIG. 2 is a front elevation view thereof;

FIG. 3 is a rear elevation view thereof;

FIG. 4 is a right side elevation view thereof;

FIG. 5 is a left side elevation view thereof;

FIG. 6 is a top plan view thereof;

FIG. 7 is another top perspective view of the four-sectioned binder for holding cards, shown in a half open configuration where the two left sections are closed and the two right side sections are open to show the multi-card holder sleeves;

FIG. 8 is a top plan view thereof;

FIG. 9 is a front elevation view thereof;

FIG. 10 is another top perspective view of the four-sectioned binder for holding cards, shown in a fully open configuration;

FIG. 11 is a top plan view thereof;

FIG. 12 is a front elevation view thereof;


FIG. 13 is a front elevation view of the four-sectioned binder for holding cards thereof, showing a multi-card holder removed in order to show aspects of the design that are not otherwise apparent; and,

FIG. 14 is an enlarged front elevation view thereof, of the circled portion thereof in FIG. 13.

The contrast in shading techniques between straight occasionally broken line shading and stipple shading represents a contrast in appearance as shown.

The evenly spaced broken lines are directed to environment and are for illustrative purposes only while the dot-dash broken lines are for the purpose of identifying the partially

(Continued)



enlarged view; the evenly spaced and dot-dash broken lines form no part of the claimed design.

1 Claim, 11 Drawing Sheets

(58) Field of Classification Search

CPC G09F 5/00; G09F 5/02; G09F 5/04; G09F
2005/041; G09F 5/042

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

D278,445 S *	4/1985	Hartney	D3/247
D334,587 S *	4/1993	Steinert	D19/26
D337,610 S *	7/1993	Mixon	D19/26
D376,176 S *	12/1996	Buraczynski	D19/26
D601,187 S *	9/2009	Davis	D19/26
D641,401 S *	7/2011	Tewart	D19/27
D657,557 S *	4/2012	Deinert	D3/247
D688,307 S *	8/2013	Jour	D19/86
D731,591 S *	6/2015	Panigel	D19/26
D734,816 S *	7/2015	Alford	D19/26
D759,159 S *	6/2016	Park	D19/26

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11





FIG. 12

FIG. 13






FIG. 14