



US00D800991S

(12) **United States Design Patent**
Gordon

(10) **Patent No.:** **US D800,991 S**

(45) **Date of Patent:** **** Oct. 31, 2017**

(54) **UTILITY BELT**

(71) Applicant: **Glenn Dale Gordon**, Atlanta, GA (US)

(72) Inventor: **Glenn Dale Gordon**, Atlanta, GA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/539,276**

(22) Filed: **Sep. 11, 2015**

(51) **LOC (10) Cl.** **02-07**

(52) **U.S. Cl.**
USPC **D2/627**

(58) **Field of Classification Search**

USPC D2/624-629, 634-640; D11/216-219,
D11/231, 232, 238; D24/190; D29/101.3
CPC A41F 11/00; A41F 11/02; A41F 11/06;
A41F 11/08; A41F 11/12; A41F 11/14;
A41F 11/16; A41F 17/00; A41F 3/02;
A41F 9/00; A41F 9/002; A41F 9/007;
A44B 11/20; A44B 17/00;
B60R 2022/006; B60R 22/00;
A61B 5/6893; A61F 5/028

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D33,119 S * 8/1900 Shepard D2/624
670,726 A * 3/1901 Peirce A41F 9/002
2/322
D39,582 S * 9/1908 Riker D2/638
1,147,955 A * 7/1915 Langhammer A44B 11/04
24/198
2,316,958 A * 4/1943 Herbener A41F 11/16
2/313
2,339,239 A * 1/1944 Carmichael A41F 11/16
2/300
2,628,749 A * 2/1953 Ryden A01M 31/006
224/223
2,924,827 A * 2/1960 Stollman A41F 9/002
2/311
D256,568 S * 8/1980 Young D11/25

D274,557 S * 7/1984 Griffith, III D2/627
5,367,714 A * 11/1994 Hines B68B 11/00
2/311

5,385,281 A 1/1995 Byrd
D361,877 S * 9/1995 Ruiz D2/627
5,489,051 A 2/1996 Robinson

(Continued)

Primary Examiner — Celia Murphy

Assistant Examiner — Clare Ann Gannon

(74) *Attorney, Agent, or Firm* — Meunier Carlin & Curfman LLC

(57) **CLAIM**

The ornamental design for a utility belt, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a utility belt showing my new design. The continuous S-shaped pattern shown along the length of the utility belt in FIG. 1, and as used throughout FIGS. 2-9, is meant to represent a loop fabric. The S-shaped pattern shown in the pentagonal shape at the end of the utility belt in FIG. 1, and as used throughout FIGS. 2-9, is meant to represent a hook fabric, and is further meant to be different from the loop fabric described above.

FIG. 2 is a top plan view of my new design.

FIG. 3 is a bottom plan view of my new design.

FIG. 4 is a left side view of my new design.

FIG. 5 is a right side view of my new design.

FIG. 6 is a rear elevational view of my new design.


FIG. 7 is a front elevational view of my new design.

FIG. 8 is a front perspective view of my new design, shown in a closed position of use; and,

FIG. 9 is a rear perspective view of my new design, shown in a closed position of use.

The broken lines showing a partial human figure in FIGS. 8-9 illustrate the environment in which the design is used, and form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

5,548,871 A * 8/1996 Trethewey A44B 18/00
24/16 R
5,568,889 A 10/1996 Holloway, Jr. et al.
5,626,272 A 5/1997 Klemansky
5,693,066 A 12/1997 Rupp et al.
5,695,104 A 12/1997 Darling
6,056,625 A * 5/2000 Fildan A41F 15/002
2/336
6,073,823 A 6/2000 Gordon
D467,703 S * 12/2002 Foutty D2/627
D496,143 S * 9/2004 Noell D2/627
D556,330 S * 11/2007 Auerbach D24/190
8,468,658 B1 * 6/2013 Rife A41F 9/002
24/182
D712,306 S * 9/2014 Fildan D11/218
D747,591 S * 1/2016 Holloway D2/627
D757,594 S * 5/2016 Akana D11/5
2011/0167540 A1 * 7/2011 Little A41F 9/002
2/312

* cited by examiner




FIG. 1




FIG. 2




FIG. 3



FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9