



US00D801086S

(12) **United States Design Patent** (10) **Patent No.:** **US D801,086 S**
Moriniere et al. (45) **Date of Patent:** **** Oct. 31, 2017**

(54) **STORAGE UNIT**

(71) Applicant: **Steelcase Inc.**, Grand Rapids, MI (US)

(72) Inventors: **Alban Moriniere**, Strasbourg (FR);
Karl-Heinz Mueller, Prutting (DE);
Laurent Troesch, Strasbourg (FR)

(73) Assignee: **Steelcase Inc.**, Grand Rapids, MI (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/551,502**

(22) Filed: **Jan. 14, 2016**

(30) **Foreign Application Priority Data**

Oct. 9, 2015 (EM) 002817510-0002

(51) **LOC (10) Cl.** **06-04**

(52) **U.S. Cl.**
USPC **D6/671.4**

(58) **Field of Classification Search**
USPC D6/663, 667, 671, 671.1, 671.2, 671.3,
D6/671.4, 683; D32/1, 6
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,890,023 A	6/1975	Mohr et al.	
4,323,291 A	4/1982	Ball	
4,382,642 A	5/1983	Burdick	
4,560,215 A	12/1985	Turner	
D286,958 S *	12/1986	Gualtieri	D6/663
4,735,150 A	4/1988	Roberts	
4,861,122 A	8/1989	Newhouse et al.	
4,932,332 A	6/1990	Noda	
D314,913 S	2/1991	Ferbrache	
D324,963 S	3/1992	LaCour	

5,526,756 A	6/1996	Watson	
5,758,934 A	6/1998	Flutka et al.	
5,873,643 A	2/1999	Burgess, Jr. et al.	
D424,763 S *	5/2000	Schinzing	D32/6
6,447,080 B1	9/2002	Rheault et al.	
D497,059 S	10/2004	Jans	
D535,119 S *	1/2007	Bixby	D6/671.1
D535,120 S *	1/2007	Bixby	D6/667
D536,198 S *	2/2007	Bixby	D6/671.1
D536,903 S *	2/2007	Bixby	D32/6
D537,268 S *	2/2007	Bixby	D6/671.4
D537,270 S *	2/2007	Bixby	D6/671.4
D537,650 S	3/2007	Luong	
D538,552 S *	3/2007	Bixby	D6/671.4
D541,553 S *	5/2007	Bixby	D6/671.1
D549,485 S *	8/2007	Bixby	D6/671.1
7,487,729 B2	2/2009	Riddiford et al.	
D626,759 S	11/2010	Joh	
D635,376 S	4/2011	Cortivo et al.	
D648,568 S	11/2011	Cortivo et al.	
D651,651 S	1/2012	Beukema et al.	

(Continued)

Primary Examiner — Mimosa De


(57) **CLAIM**

We claim the ornamental design for a storage unit, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a storage unit;
FIG. 2 is a front view of the storage unit of FIG. 1;
FIG. 3 is a rear view of the storage unit of FIG. 1;
FIG. 4 is a right side view of the storage unit of FIG. 1, the left side view is a mirror image of the right side view of FIG. 4;
FIG. 5 is a top view of the storage unit of FIG. 1; and,
FIG. 6 is a bottom view of the storage unit of FIG. 1.
The dashed lines are for purposes of illustrating environmental structure and form no part of the claimed design.

1 Claim, 2 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D704,481	S	5/2014	Gaschy et al.	
8,905,500	B2	12/2014	Larson et al.	
D747,568	S *	1/2016	Hoffman	D32/1
D781,625	S *	3/2017	Poniatowski	D6/683
2003/0227237	A1	12/2003	Bockheim	
2004/0065235	A1	4/2004	de Oliveira	
2006/0042520	A1	3/2006	Stevens et al.	
2007/0251428	A1	11/2007	Mead et al.	
2008/0035030	A1	2/2008	Horton	

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6