



US00D801116S

(12) **United States Design Patent**
Cerasani

(10) **Patent No.:** **US D801,116 S**

(45) **Date of Patent:** **** *Oct. 31, 2017**

(54) **PORTABLE HYDRATION BOTTLE**

(71) Applicant: **Platinum Products, LLC**, Missoula, MT (US)

(72) Inventor: **Anthony Cerasani**, Missoula, MT (US)

(73) Assignee: **Platinum Products, LLC**, Missoula, MT (US)

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **15 Years**

(21) Appl. No.: **29/562,665**

(22) Filed: **Apr. 27, 2016**

(51) **LOC (10) Cl.** **07-01**

(52) **U.S. Cl.**

USPC **D7/510; D7/511; D7/536; D9/531; D9/560**

(58) **Field of Classification Search**

USPC D7/509, 510, 511, 523, 529, 532, 533, D7/535, 536, 300, 300.1, 608, 629, 387, D7/304-315, 534, 396.1, 524, 537, 572, D7/392.1, 391; D9/503, 504, 531, 530, D9/566, 544, 549, 550, 553, 554, 516, D9/537, 454, 434, 560; 215/228, 229; 220/592.2, 592.16, 592.17; D23/202, D23/207; 99/281, 305, 307; 222/146.6; 141/247; D24/122; D3/202
CPC A47G 19/22; A47G 19/2227; A47G 19/02; A47G 19/025; A47G 19/2288; Y10S 220/903

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,380,066 A * 5/1921 Johnson A47G 19/14 206/504
D206,407 S * 12/1966 Sharp D9/531

D221,515 S * 8/1971 Betka D9/531
D235,303 S * 6/1975 Boucher D7/394
D296,873 S * 7/1988 Dent D9/529
D309,260 S * 7/1990 Conrad D9/528
D338,407 S * 8/1993 Lynd D7/511
6,059,153 A * 5/2000 Olson B65D 1/10 222/465.1
D428,817 S * 8/2000 Olson D9/531
D482,973 S * 12/2003 Nottingham D9/531
D500,953 S * 1/2005 Nottingham D9/528
D524,909 S * 7/2006 Bakke D23/233
D559,111 S * 1/2008 Reimann D9/531
D563,228 S * 3/2008 Nottingham D9/531
D572,086 S * 7/2008 Matsumoto D7/614
D573,475 S * 7/2008 Nottingham D9/531
D610,412 S * 2/2010 Matsumoto D7/629
D621,258 S * 8/2010 Gullickson D9/443

(Continued)

Primary Examiner — Marianne Pandozzi

Assistant Examiner — Jae Liang

(74) *Attorney, Agent, or Firm* — Seed IP Law Group LLP

(57) **CLAIM**



The ornamental design for a portable hydration bottle, as shown and described.

DESCRIPTION

FIG. 1 is a top, front and right side perspective view of a portable hydration bottle showing my new design;
FIG. 3 is a bottom, rear, and right side elevational view thereof;
FIG. 3 is a front elevational view thereof;
FIG. 4 is a rear elevational view thereof;
FIG. 5 is a left side elevational view thereof;
FIG. 6 is a right side elevational view thereof;
FIG. 7 is a top plan view thereof; and,
FIG. 8 is a bottom plan view thereof.

The broken lines in the drawing depict portions of the portable hydration bottle that form no part of the claimed design.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D653,548	S *	2/2012	Wycoff	D9/528
D668,155	S *	10/2012	Wycoff	D9/516
D668,913	S *	10/2012	Mayer	D7/510
D712,254	S *	9/2014	Geis	D9/436
D760,088	S *	6/2016	Kaye	D9/516
D760,586	S *	7/2016	Seiders	D7/392.1
2002/0195471	A1 *	12/2002	Nottingham	B01F 15/00733 222/570
2003/0102340	A1 *	6/2003	Walsh	B44D 3/12 222/572
2004/0011831	A1 *	1/2004	McDonald	B44D 3/12 222/567

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8