



US00D801470S

(12) **United States Design Patent** (10) **Patent No.:** **US D801,470 S**  
**Bennis** (45) **Date of Patent:** **\*\* Oct. 31, 2017**

(54) **SINGLE KINK FISHING HOOK**

(71) Applicant: **Gary Bennis**, Eau Claire, WI (US)

(72) Inventor: **Gary Bennis**, Eau Claire, WI (US)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/527,565**

(22) Filed: **May 20, 2015**

**Related U.S. Application Data**

(63) Continuation of application No. 14/572,213, filed on Dec. 16, 2014, now abandoned, which is a continuation of application No. 13/947,763, filed on Jul. 22, 2013, now Pat. No. 8,910,416.

(51) **LOC (10) Cl.** ..... **22-05**

(52) **U.S. Cl.**

USPC ..... **D22/144**

(58) **Field of Classification Search**

USPC ..... D22/144; 43/43.16, 44.4, 44.81, 44.8,  
43/42.31, 43.2, 42.53, 42.37, 42.39,  
43/42.38, 44.89, 44.28

CPC ..... A01K 83/00; A01K 83/06; A01K 91/04  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D751,664 S \* 3/2016 Bennis ..... D22/144

D773,602 S \* 12/2016 Kim ..... D22/144

\* cited by examiner

*Primary Examiner* — Catherine R Oliver-Garcia

(74) *Attorney, Agent, or Firm* — William D. Hare;  
McNeely, Hare & War, LLP

(57) **CLAIM**

The ornamental design for a single kink fishing hook, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a first embodiment of a single kink fishing hook having a barb and a shank with an eyelet,

shown in broken lines, in which a retention kink is adjacent to the front length and/or tip of the hook.

FIG. 2 is a front view of the single kink fishing hook of FIG. 1.

FIG. 3 is a side view of the single kink fishing hook of FIG. 1.

FIG. 4 is an, opposite side view of the single kink fishing hook of FIG. 1.

FIG. 5 is a top view of the single kink fishing hook of FIG. 1.

FIG. 6 is a bottom view of the single kink fishing hook of FIG. 1.

FIG. 7 is a perspective view of a second embodiment of a single kink fishing hook having a barb and a shank with an eyelet, shown in broken lines, in which a retention kink is adjacent to the front length and/or tip of the hook.

FIG. 8 is a top view of the single kink fishing hook of FIG. 7.

FIG. 9 is a bottom view of the single kink fishing hook of FIG. 7.

FIG. 10 is a perspective view of a third embodiment of a single kink fishing hook having a barb and a shank with an eyelet, shown in broken lines, in which a retention kink is adjacent to the front length and/or tip of the hook.

FIG. 11 is front view of the single kink fishing hook of FIG. 10.

FIG. 12 is a side view of the single kink fishing hook of FIG. 10.


FIG. 13 is an, opposite side view of the single kink fishing hook of FIG. 10.

FIG. 14 is a top view of the single kink fishing hook of FIG. 10; and,

FIG. 15 is a bottom view of the single kink fishing hook of FIG. 10.

The broken lines depict environment and are included for the purpose of illustrating only and forms no part of the claimed design.

**1 Claim, 12 Drawing Sheets**







FIGURE 1



**FIGURE 2**




FIGURE 3




FIGURE 4




FIGURE 5




FIGURE 6




FIGURE 7




FIGURE 8




FIGURE 9






FIGURE 10




FIGURE 11




FIGURE 12




FIGURE 13




FIGURE 14




FIGURE 15