



US00D801596S

(12) **United States Design Patent** (10) **Patent No.:** **US D801,596 S**
Tota (45) **Date of Patent:** **** Oct. 31, 2017**

(54) **BRIDLE NOSEBAND**
(71) Applicant: **Charles Tota**, Wellington, FL (US)
(72) Inventor: **Charles Tota**, Wellington, FL (US)
(**) Term: **15 Years**
(21) Appl. No.: **29/569,504**
(22) Filed: **Jun. 28, 2016**
(51) **LOC (10) Cl.** **30-01**
(52) **U.S. Cl.**
USPC **D30/136**
(58) **Field of Classification Search**
USPC D30/134, 136, 138
CPC B68B 1/02; B68B 1/04; B68B 2001/042;
B68B 5/00; A01K 27/003; A01K 27/005;
A01L 27/004; A63B 21/0557
See application file for complete search history.

9,346,664 B2 * 5/2016 Krickeberg B68B 1/02
9,427,049 B2 * 8/2016 Shelton A44B 11/22
2004/0168413 A1 * 9/2004 Rodgers B68B 1/04
54/6.1

FOREIGN PATENT DOCUMENTS

DE 102013014464 3/2015

* cited by examiner

Primary Examiner — George D Kirschbaum
Assistant Examiner — Jennifer L Watkins
(74) *Attorney, Agent, or Firm* — Robert M. Downey, P.A.

(57) **CLAIM**

The ornamental design for a bridle noseband, as shown and described.

DESCRIPTION


FIG. 1 is a top perspective view of a bridle noseband showing my new design;
FIG. 2 is a left side elevational view thereof;
FIG. 3 is a right side elevational view thereof;
FIG. 4 is a top plan view thereof;
FIG. 5 is a bottom plan view thereof;
FIG. 6 is a rear elevational view thereof; and,
FIG. 7 is a front elevational view thereof.
The broken lines shown in FIGS. 1-7 showing buckles and attachment rings form no part of the claimed design.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D251,860 S * 5/1979 Meeks D30/136
D467,046 S * 12/2002 Paci D30/136
D635,724 S 4/2011 Micklem
8,789,349 B1 * 7/2014 Drumm B68B 1/04
54/6.1
8,915,053 B2 12/2014 Verger

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7