



US00D801613S

(12) **United States Design Patent**
Felsenthal

(10) **Patent No.:** **US D801,613 S**

(45) **Date of Patent:** **** Oct. 31, 2017**

(54) **DRYING RACK**

(71) Applicant: **Whitmor, Inc.**, Southaven, MS (US)

(72) Inventor: **Sandy Felsenthal**, Memphis, TN (US)

(73) Assignee: **Whitmor, Inc.**, Southaven, MS (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/570,066**

(22) Filed: **Jul. 5, 2016**

(51) **LOC (10) Cl.** **07-05**

(52) **U.S. Cl.**
USPC **D32/58**

(58) **Field of Classification Search**
USPC D32/55, 276, 3; D6/510, 525; D30/133;
211/41.5, 41.4, 41.3, 41.8; 361/679.4;
312/311, 333, 334.4; D7/354, 629
CPC .. A47L 15/505; A47L 15/503; A47L 15/0013;
A47L 19/02; A47L 19/04; A47J 47/20
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 391,191 A * 10/1888 Ritterhouse D06F 57/08
211/198
- 869,673 A * 10/1907 Wilson D06F 57/08
211/198
- 2,002,128 A * 5/1935 Reidenbaugh A47F 5/01
108/107
- D417,536 S * 12/1999 Sum D32/58
- 6,471,174 B2 * 10/2002 Turner A47B 97/04
248/444
- D564,165 S * 3/2008 King D32/58
- D655,877 S * 3/2012 Greenway D32/58
- D673,217 S * 12/2012 Kong D19/113
- 8,453,852 B2 * 6/2013 Raddatz D06F 57/12
211/104
- D718,511 S * 11/2014 Ouyang D32/58
- D720,907 S * 1/2015 Perez D32/58

- D737,532 S * 8/2015 Oh D32/58
- D765,335 S * 8/2016 Cooper D32/58
- D773,143 S * 11/2016 Corless D32/58
- D787,769 S * 5/2017 Evans D32/55

* cited by examiner

Primary Examiner — Austin Murphy
(74) *Attorney, Agent, or Firm* — Stites & Harbison
PLLC; Richard S. Myers, Jr.

(57) **CLAIM**

The ornamental design for a drying rack, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of the design of a drying rack showing the new design and illustrating the drying rack in a folded position;

FIG. 2 is a front elevation view of the drying rack shown in FIG. 1;

FIG. 3 is a rear elevation view of the drying rack shown in FIG. 1;

FIG. 4 is a right side elevation view of the drying rack shown in FIG. 1;

FIG. 5 is a left side elevation view of the drying rack shown in FIG. 1;


FIG. 6 is a top plan view of the drying rack shown in FIG. 1;

FIG. 7 is a bottom plan view of the drying rack shown in FIG. 1;

FIG. 8 is a top perspective view of the drying rack shown in FIG. 1 illustrating the drying rack in a semi-opened position; and,

FIG. 9 is a top perspective view of the drying rack shown in FIG. 1 illustrating the drying rack in a fully-opened position. The broken lines shown in the drawing views are included for the purpose of showing environmental structure that forms no part of the claimed design.

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9