



US00D801613S

(12) **United States Design Patent**  
**Felsenthal**

(10) **Patent No.:** **US D801,613 S**

(45) **Date of Patent:** **\*\* Oct. 31, 2017**

(54) **DRYING RACK**

(71) Applicant: **Whitmor, Inc.**, Southaven, MS (US)

(72) Inventor: **Sandy Felsenthal**, Memphis, TN (US)

(73) Assignee: **Whitmor, Inc.**, Southaven, MS (US)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/570,066**

(22) Filed: **Jul. 5, 2016**

(51) **LOC (10) Cl.** ..... **07-05**

(52) **U.S. Cl.**  
USPC ..... **D32/58**

(58) **Field of Classification Search**

USPC ..... D32/55, 276, 3; D6/510, 525; D30/133;  
211/41.5, 41.4, 41.3, 41.8; 361/679.4;  
312/311, 333, 334.4; D7/354, 629  
CPC .. A47L 15/505; A47L 15/503; A47L 15/0013;  
A47L 19/02; A47L 19/04; A47J 47/20  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- 391,191 A \* 10/1888 Ritterhouse ..... D06F 57/08  
211/198
- 869,673 A \* 10/1907 Wilson ..... D06F 57/08  
211/198
- 2,002,128 A \* 5/1935 Reidenbaugh ..... A47F 5/01  
108/107
- D417,536 S \* 12/1999 Sum ..... D32/58
- 6,471,174 B2 \* 10/2002 Turner ..... A47B 97/04  
248/444
- D564,165 S \* 3/2008 King ..... D32/58
- D655,877 S \* 3/2012 Greenway ..... D32/58
- D673,217 S \* 12/2012 Kong ..... D19/113
- 8,453,852 B2 \* 6/2013 Raddatz ..... D06F 57/12  
211/104
- D718,511 S \* 11/2014 Ouyang ..... D32/58
- D720,907 S \* 1/2015 Perez ..... D32/58

- D737,532 S \* 8/2015 Oh ..... D32/58
- D765,335 S \* 8/2016 Cooper ..... D32/58
- D773,143 S \* 11/2016 Corless ..... D32/58
- D787,769 S \* 5/2017 Evans ..... D32/55

\* cited by examiner

*Primary Examiner* — Austin Murphy

(74) *Attorney, Agent, or Firm* — Stites & Harbison  
PLLC; Richard S. Myers, Jr.

(57) **CLAIM**

The ornamental design for a drying rack, as shown and described.

**DESCRIPTION**

FIG. 1 is a top perspective view of the design of a drying rack showing the new design and illustrating the drying rack in a folded position;

FIG. 2 is a front elevation view of the drying rack shown in FIG. 1;

FIG. 3 is a rear elevation view of the drying rack shown in FIG. 1;

FIG. 4 is a right side elevation view of the drying rack shown in FIG. 1;

FIG. 5 is a left side elevation view of the drying rack shown in FIG. 1;


FIG. 6 is a top plan view of the drying rack shown in FIG. 1;

FIG. 7 is a bottom plan view of the drying rack shown in FIG. 1;

FIG. 8 is a top perspective view of the drying rack shown in FIG. 1 illustrating the drying rack in a semi-opened position; and,

FIG. 9 is a top perspective view of the drying rack shown in FIG. 1 illustrating the drying rack in a fully-opened position. The broken lines shown in the drawing views are included for the purpose of showing environmental structure that forms no part of the claimed design.

**1 Claim, 7 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9