



US00D801796S

(12) **United States Design Patent** (10) **Patent No.:** **US D801,796 S**
Sweeney et al. (45) **Date of Patent:** **** Nov. 7, 2017**

(54) **SCREW HEAD**
(71) Applicant: **Spinal Generations, LLC**, Mokena, IL (US)
(72) Inventors: **Patrick J. Sweeney**, Flossmoor, IL (US); **Matthew V. Leyden**, St. Paul, MN (US)
(73) Assignee: **Spinal Generations, LLC**, Mokena, IL (US)
(**) Term: **15 Years**
(21) Appl. No.: **29/580,691**
(22) Filed: **Oct. 12, 2016**

Related U.S. Application Data

(62) Division of application No. 29/528,826, filed on Jun. 1, 2015, now Pat. No. Des. 773,926.
(51) **LOC (10) Cl.** **08-08**
(52) **U.S. Cl.**
USPC **D8/387; D24/155**
(58) **Field of Classification Search**
USPC D8/349, 382, 387, 388, 391, 393, 397, D8/399; D24/155, 156, 157
CPC F16B 23/0061; F16B 23/0007; F16B 23/0015; F16B 23/0069; F16B 23/0084; F16B 25/0036; F16B 35/04; F16B 35/06; A61B 17/68; A61B 17/686; A61B 17/7083; A61B 2017/0648; A61B 17/7082; A61B 17/8605; A61B 17/861; A61B 17/8877; A61B 17/862; A61B 17/8883; A61B 17/8635
See application file for complete search history.

References Cited

U.S. PATENT DOCUMENTS

374,701 A 10/1887 Quinby
D30,319 S * 3/1899 Senderling D8/387

D31,894 S 11/1899 Dixon
1,340,470 A 5/1920 Whitmore
2,600,517 A * 6/1952 Rushing E01B 9/10
411/382
D218,017 S * 7/1970 Brown 24/279
D218,798 S 9/1970 Keller
D248,824 S 8/1978 Imai et al.
4,871,313 A * 10/1989 Maillefer A61C 5/35
433/225
D310,956 S * 10/1990 Huska D8/387
5,085,660 A 2/1992 Lin
D326,809 S 6/1992 Paul
D358,212 S * 5/1995 Sullivan D24/156
D363,755 S 10/1995 Diederich
5,697,743 A 12/1997 Parker
D397,401 S 8/1998 Diederich

(Continued)

Primary Examiner — Sandra Snapp
Assistant Examiner — Ieisha Price
(74) *Attorney, Agent, or Firm* — Foley & Lardner LLP


(57) **CLAIM**

We claim the ornamental design for a screw head, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a screw head according to the claimed design;
FIG. 2 is a front elevation view of FIG. 1;
FIG. 3 is a rear elevation view of FIG. 1;
FIG. 4 is a right side view of FIG. 1;
FIG. 5 is a left side view of FIG. 1;
FIG. 6 is a top view of FIG. 1; and,
FIG. 7 is a bottom view of FIG. 1.
The broken line showing of the screw body in FIGS. 1-5 and 7 represents the environment of the claimed design and forms no part thereof. The broken lines shown in FIG. 6 represent portions of the screw head and form no part of the claimed design.

1 Claim, 2 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D416,475 S 11/1999 DePrisco
D417,139 S 11/1999 Pitre
D420,898 S 2/2000 Landman
D455,636 S * 4/2002 Gilbert D8/331
D484,731 S 1/2004 Tung
D583,946 S 12/2008 Schendel
D585,731 S * 2/2009 Carrillo, Sr. D8/387
D605,500 S 12/2009 Lee et al.
D611,511 S * 3/2010 Anitua Aldecoa D15/139
D639,645 S * 6/2011 Carrillo, Sr. D8/387
D681,435 S * 5/2013 Beadle D8/387
D773,926 S * 12/2016 Sweeney D8/387
D787,061 S * 5/2017 Jo D24/156
2002/0094508 A1 7/2002 Lorenzi
2002/0182560 A1 12/2002 Park et al.
2004/0127909 A1 * 7/2004 Morgan A61B 17/8625
606/308
2007/0010820 A1 * 1/2007 Contiliano A61B 17/0401
606/86 A
2008/0050691 A1 2/2008 Baughman et al.
2008/0215099 A1 9/2008 Balfour et al.
2009/0003970 A1 1/2009 Griffith
2009/0092462 A1 * 4/2009 Pratt F16B 13/063
411/368
2011/0056166 A1 3/2011 Bartlett
2011/0213426 A1 * 9/2011 Yedlicka A61B 17/8635
606/309
2011/0257691 A1 10/2011 Sutterlin et al.
2011/0301652 A1 12/2011 Reed et al.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7