



US00D801842S

(12) **United States Design Patent** (10) **Patent No.:** **US D801,842 S**
Shi et al. (45) **Date of Patent:** **** Nov. 7, 2017**

(54) **EMERGENCY SIGNALING DEVICE**

(71) Applicant: **KONE Corporation**, Helsinki (FI)

(72) Inventors: **Yi Min Shi**, ChangZhou (CN); **Aapo Saari**, Espoo (FI); **Visa Rauta**, Hyvinkää (FI)

(73) Assignee: **KONE CORPORATION**, Helsinki (FI)

(**) Term: **15 Years**

(21) Appl. No.: **29/585,449**

(22) Filed: **Nov. 23, 2016**

(30) **Foreign Application Priority Data**

May 25, 2016 (EM) 003151828

(51) **LOC (10) Cl.** **10-05**

(52) **U.S. Cl.**
USPC **D10/108**

(58) **Field of Classification Search**
USPC D10/104.1, 106.1–106.9, 108, 109.1,
D10/109.2, 110, 111, 114.1–114.8, 121;
D26/28, 35, 36, 102, 104, 118, 122
CPC F21W 2101/02; F21W 2101/10; F21W
2101/14
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D264,195 S * 5/1982 Jacobs D10/109.1
D318,632 S * 7/1991 Polacek D10/108

D337,129 S * 7/1993 Sandy D10/109.1
D392,907 S * 3/1998 Buckley, III D10/108
D431,201 S * 9/2000 Robinson D10/106.1
D546,724 S * 7/2007 Zemp D10/108
D615,896 S * 5/2010 Rusanen D10/108
D743,086 S * 11/2015 Blum D26/120

* cited by examiner

Primary Examiner — George D. Kirschbaum

Assistant Examiner — Joseph J Kukella

(74) *Attorney, Agent, or Firm* — Leason Ellis LLP

(57) **CLAIM**

The ornamental design for an emergency signaling device, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of an emergency signaling device;

FIG. 2 is a front view of the design of FIG. 1;

FIG. 3 is a rear view of the design of FIG. 1;

FIG. 4 is a right side view of the design of FIG. 1;


FIG. 5 is a left side view of the design of FIG. 1;

FIG. 6 is a top view of the design of FIG. 1; and,

FIG. 7 is a bottom view of the design of FIG. 1.

The broken line message “stop,” including its position and size, illustrate environmental structure that forms no part of the claimed design, and is intended to illustrate optional environmental features that can be omitted, with the underlying surface being continuous and uninterrupted.

1 Claim, 4 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4



Fig. 5




Fig. 6




Fig. 7