

US00D802038S

(12) **United States Design Patent** (10) **Patent No.:** **US D802,038 S**
Kitada et al. (45) **Date of Patent:** **** Nov. 7, 2017**

(54) **ROTARY DAMPER** 4,893,522 A * 1/1990 Arakawa E05F 3/14
16/82
(71) Applicant: **Kabushiki Kaisha Somic Ishikawa,** 5,211,267 A * 5/1993 Clark F16D 57/00
Tokyo (JP) 16/82
5,297,706 A * 3/1994 Blitz A47G 25/485
223/91
(72) Inventors: **Tatsuya Kitada,** Shizuoka (JP); **Keiichi** 6,121,526 A * 9/2000 Kobori F16F 9/145
Saito, Shizuoka (JP) 188/291
D445,020 S * 7/2001 Smith D8/367
(73) Assignee: **Kabushiki Kaisha Somic Ishikawa,** D479,242 S * 9/2003 Kurachi D14/483
Tokyo (JP) D496,256 S * 9/2004 Hong D8/367
D524,636 S * 7/2006 Burnett D8/367
7,204,353 B2 * 4/2007 Kanno F16F 9/20
188/290
(**) Term: **15 Years** D584,315 S * 1/2009 Yamaguchi D14/483
D669,484 S * 10/2012 Suzuki D14/483
(21) Appl. No.: **29/543,392** D766,601 S * 9/2016 Barre D6/326
D770,783 S * 11/2016 Stroud D6/327
(22) Filed: **Oct. 23, 2015** D771,403 S * 11/2016 Matthews D6/513

(30) **Foreign Application Priority Data**
Apr. 24, 2015 (JP) 2015-009315
(51) **LOC (10) Cl.** **15-09**
(52) **U.S. Cl.**
USPC **D15/148**
(58) **Field of Classification Search**
USPC D8/367, 368, 372; D15/138, 148, 149
CPC B60G 13/005; B60G 2202/22; B60G
2204/1226; E05F 3/14; E05F 3/20; E05Y
2201/21; E05Y 2201/254; E05Y
2201/256; E05Y 2201/266; F16F 9/14;
F16F 9/20; F16F 9/28; F16F 9/34; F16F
9/145; F16F 9/512; F16F 9/516; Y10T
16/625
See application file for complete search history.


(56) **References Cited**
U.S. PATENT DOCUMENTS
D226,839 S * 5/1973 Kanno et al. D9/436
D271,746 S * 12/1983 Pieri D9/415
D273,940 S * 5/1984 Soos D9/436
4,576,252 A * 3/1986 Omata E05F 3/14
16/82

Primary Examiner — Patricia Palasik
(74) *Attorney, Agent, or Firm* — Cozen O'Connor

(57) **CLAIM**
We claim the ornamental design for a rotary damper, as shown and described.

DESCRIPTION
FIG. 1 is a front view of a rotary damper showing the new design;
FIG. 2 is a rear view of a rotary damper of FIG. 1;
FIG. 3 is a bottom view of a rotary damper of FIG. 1;
FIG. 4 is a left side view of a rotary damper of FIG. 1;
FIG. 5 is a right side view of a rotary damper of FIG. 1;
FIG. 6 is a plan view of a rotary damper of FIG. 1;
FIG. 7 is a cross-section A-A view of a rotary damper of FIG. 1; and,
FIG. 8 is a cross-section B-B view of a rotary damper of FIG. 1.
The broken lines shown in FIGS. 1-8 represent unclaimed portions of the claimed design of a rotary damper.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D779,931 S *	2/2017	Mondragon	D9/415
2006/0011428 A1 *	1/2006	Hayashi	F16F 9/12
			188/290

* cited by examiner

FIG. 1




FIG. 2




FIG. 3



FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

