



US00D802062S

(12) **United States Design Patent** (10) **Patent No.:** **US D802,062 S**
Hooper et al. (45) **Date of Patent:** **** Nov. 7, 2017**

(54) **SHROUD OF AN EXERCISE DEVICE**

(71) Applicant: **Precor Incorporated**, Woodinville, WA (US)

(72) Inventors: **Elijah E. Hooper**, Seattle, WA (US);
Robert B. Hubler, Woodinville, WA (US)

(73) Assignee: **Precor Incorporated**, Woodinville, WA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/581,960**

(22) Filed: **Oct. 24, 2016**

(51) **LOC (10) Cl.** **21-02**

(52) **U.S. Cl.**
USPC **D21/663**

(58) **Field of Classification Search**

USPC .. 482/51–52, 54, 57, 66, 68, 70, 72, 79, 80,
482/141; D12/400, 406, 407, 415;
D21/662–663, 665–671, 673, 685, 694,
D21/696–697

CPC A63B 22/0605; A63B 2022/0647; A63B
21/012

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D302,451 S	7/1989	Bull et al.
D303,695 S	9/1989	Smith et al.
D304,358 S	10/1989	Armstrong et al.
D314,597 S	2/1991	Armstrong et al.
D410,978 S	6/1991	Littrell et al.
D321,229 S	10/1991	Dalton et al.
D328,625 S	8/1992	Arthur et al.
D328,770 S	8/1992	Henderson et al.
D372,282 S	7/1996	Pasero et al.
5,685,804 A	11/1997	Whan-Tong et al.
D388,847 S	1/1998	Whan-Tong et al.
D408,477 S	4/1999	Arnold et al.

D429,781 S	8/2000	Arnold et al.
6,123,650 A	9/2000	Birrell
6,146,313 A	11/2000	Whan-Tong et al.
6,165,107 A	12/2000	Birrell

(Continued)

OTHER PUBLICATIONS

Gymsource “Precor EFX® 835 Experience™ Series Moving handlebars w/adjustable CrossRamp®”, <https://www.gymsource.com/equipment/precor-efx-835-elliptical>. Sep. 11, 2017. shown in p. 1, Item # PR-EFX835/B.*

Primary Examiner — Cynthia Ramirez

Assistant Examiner — Michael Maharajh

(74) *Attorney, Agent, or Firm* — Terence P. O’Brien

(57) **CLAIM**

We claim the ornamental design for a shroud of an exercise device, as shown and described.

DESCRIPTION

FIG. 1 is a right side, top perspective view of a shroud of an exercise device;

FIG. 2 is a rear perspective view of the shroud of the exercise device of FIG. 1;

FIG. 3 is a right side elevational view of the shroud of the exercise device of FIG. 1;

FIG. 4 is a left side elevational view of the shroud of the exercise device of FIG. 1;


FIG. 5 is a rear elevational view of the shroud of the exercise device of FIG. 1;

FIG. 6 is a front elevational view of the shroud of the exercise device of FIG. 1; and,

FIG. 7 is a top plan view of the shroud of the exercise device of FIG. 1.

The ornamental design that is claimed is shown in solid lines in the drawings. The evenly spaced broken lines shown in the figures are for the purpose of showing environment and form no part of the claimed design.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

6,238,321 B1 5/2001 Arnold et al.
D449,356 S 10/2001 Arnold et al.
D454,605 S * 3/2002 Lee D21/694
D459,776 S * 7/2002 Lee D21/697
D464,688 S 10/2002 May et al.
D464,689 S 10/2002 May et al.
D465,000 S 10/2002 Arnold et al.
6,482,130 B1 11/2002 Pasero et al.
6,749,540 B1 6/2004 Pasero et al.
6,752,744 B2 6/2004 Arnold et al.
6,939,271 B1 9/2005 Whan-Tong et al.
D559,925 S 1/2008 Horita
D567,313 S 4/2008 Horita
D567,314 S 4/2008 Horita
D567,315 S 4/2008 Hortia
D575,363 S 8/2008 Horita
D575,837 S 8/2008 Horita

D594,072 S 6/2009 Horita
D600,293 S 9/2009 Horita
7,691,034 B2 4/2010 May et al.
7,704,192 B2 4/2010 Dyer et al.
7,731,634 B2 6/2010 Stewart et al.
7,758,472 B2 7/2010 Stewart
7,922,625 B2 4/2011 Grind
D648,814 S * 11/2011 Chen D21/694
8,419,598 B2 4/2013 Dyer et al.
D682,370 S * 5/2013 Bingham D21/663
D687,911 S 8/2013 Hortia
D690,784 S 10/2013 Horita
8,556,779 B2 10/2013 Grind
D703,278 S 4/2014 Hortia
D690,375 S 9/2014 Horita
D728,707 S * 5/2015 Colburn D21/663
9,468,795 B2 10/2016 Arnold et al.
D786,368 S * 5/2017 Malek D21/663
D792,530 S * 7/2017 Hendricks D21/668

* cited by examiner




FIG. 1




FIG. 2





FIG. 3






FIG. 5




FIG. 6




FIG. 7