



US00D802133S

(12) **United States Design Patent**  
**Thrasher, III**

(10) **Patent No.:** **US D802,133 S**

(45) **Date of Patent:** **\*\* Nov. 7, 2017**

(54) **DOUBLE FORCEPS**

(71) Applicant: **Richard Devere Thrasher, III,**  
Mckinney, TX (US)

(72) Inventor: **Richard Devere Thrasher, III,**  
Mckinney, TX (US)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/578,147**

(22) Filed: **Sep. 19, 2016**

(51) **LOC (10) Cl.** ..... **24-02**

(52) **U.S. Cl.**  
USPC ..... **D24/143**

(58) **Field of Classification Search**  
USPC ..... D24/133, 126, 140, 119, 146, 147, 144,  
D24/137, 135; D8/57, 56, 52, 93;  
D6/323; D4/137, 121  
CPC ..... A61B 2018/00053; A61B 2018/00107;  
A61B 2018/00589; A61B 2018/00601;  
A61B 2018/1497; A61B 17/29; A61B  
17/28; A61B 17/2812; A61B 17/808;  
A61B 2017/291; A61B 2017/2926; A61B  
10/06; A61B 18/1442  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D206,311 S \* 11/1966 Eizenberg ..... D22/150  
D231,034 S \* 3/1974 Moore ..... D24/143  
D363,122 S \* 10/1995 Uetake ..... D24/143

D366,700 S \* 1/1996 Blake ..... D24/143  
D424,694 S \* 5/2000 Tetzlaff ..... D24/143  
D580,548 S \* 11/2008 Mouret ..... D24/133  
D581,053 S \* 11/2008 Gesler, III ..... D24/143  
D644,734 S \* 9/2011 Sullivan ..... D24/133  
D661,395 S \* 6/2012 Titolo ..... D24/143  
D669,987 S \* 10/2012 Bashir ..... D24/133

\* cited by examiner

*Primary Examiner* — Robert M Spear

*Assistant Examiner* — Eliza Bennett-Hattan

(74) *Attorney, Agent, or Firm* — Goodhue, Coleman &  
Owens, P.C.


(57) **CLAIM**

The ornamental design for double forceps, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of double forceps showing the new design;  
FIG. 2 is a front view thereof;  
FIG. 3 is a back view thereof;  
FIG. 4 is a left side view thereof;  
FIG. 5 is a right side view thereof;  
FIG. 6 is a top view thereof;  
FIG. 7 is a bottom view thereof; and,  
FIG. 8 is a front perspective view of the double forceps of FIG. 1 in a condition of use.  
The broken lines in the Figures show portions of the double forceps and environment which form no pan of the claimed design.

**1 Claim, 6 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8