



US00D802143S

(12) **United States Design Patent**
Onouchi

(10) **Patent No.:** **US D802,143 S**

(45) **Date of Patent:** **** Nov. 7, 2017**

(54) **THROAT SHIELD FOR DENTAL PROCEDURE**

(71) Applicant: **Toshihide Onouchi**, Chita (JP)

(72) Inventor: **Toshihide Onouchi**, Chita (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/575,756**

(22) Filed: **Aug. 29, 2016**

(30) **Foreign Application Priority Data**

Feb. 29, 2016 (JP) 2016004339

(51) **LOC (10) Cl.** **24-02**

(52) **U.S. Cl.**
USPC **D24/176**

(58) **Field of Classification Search**
USPC D24/176-178, 188-189, 152, 155-156,
D24/108; D5/54, 55, 61, 47; D21/705;
D12/203; D6/582-583; D20/10-11,
D20/39-40
CPC A61C 5/90; A61C 5/82; A63B 71/085
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D227,235 S * 6/1973 Miller D11/1
4,889,491 A 12/1989 Krygier et al.
5,931,673 A * 8/1999 Bolbolan A61O 5/82
433/136

(Continued)

FOREIGN PATENT DOCUMENTS

JP H11-99160 4/1999
JP 2002-17755 1/2002

OTHER PUBLICATIONS

U.S. Appl. No. 29/575,750.

Primary Examiner — Wan Laymon

(74) *Attorney, Agent, or Firm* — J-Tek Law PLLC;
Jeffrey D. Tekanic; Scott T. Wakeman

(57) **CLAIM**

The ornamental design for a throat shield for dental procedure, as shown and described.

DESCRIPTION

FIG. 1 shows a front view of the throat shield for dental procedure of my design;

FIG. 2 shows an oblique perspective view of my design;

FIG. 3 is an enlarged view of a portion of FIG. 2; and,

FIG. 4 shows the throat shield for dental procedure of my design disposed in the mouth of a patient during a dental procedure.

A rear view of my design is omitted, because it is a mirror image of the front view shown in FIG. 1.

Top, bottom, left and right views of my design are omitted, because the top, bottom, left and right surfaces of my design are flat and devoid of surface ornamentation.

The evenly-spaced (dash) broken lines in FIGS. 1-4 show a representative border and forms no part of my design.


The solid lines in FIGS. 1-4 represent a mesh material having rhombus-shaped openings.

The short dash-long dash-short dash broken lines in FIG. 4 show the environment, in which my design is used, and form no part of the claimed design. A rear portion of the patient's tongue merely blocks the view of a central lower edge portion of my design in FIG. 4 and forms no part of my design.

The thickness of the throat shield for dental procedure forms no part of the claimed design.

The throat shield for dental procedure of the present design is intended to be used during a dental procedure by being placed in the back of a patient's mouth in order to prevent objects, such as fillings, parts of teeth, parts of dental equipment, etc., from falling into the patient's throat.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

5,957,689	A *	9/1999	Wagner	A61O 5/90	128/861
7,040,894	B2 *	5/2006	Horvath	A61O 5/82	433/136
7,140,881	B1	11/2006	Gealon			
D565,665	S *	4/2008	McGough	D20/11	
7,938,644	B2 *	5/2011	Sabbagh	A61O 5/82	433/136
8,303,305	B2 *	11/2012	Sabbagh	A61O 5/82	433/136
2012/0301846	A1 *	11/2012	Mizrahi	A61O 5/90	433/136

* cited by examiner




Fig. 1




Fig. 2




Fig. 3

Fig. 4

