



US00D802240S

(12) **United States Design Patent** (10) **Patent No.:** **US D802,240 S**
Hooper (45) **Date of Patent:** ** **Nov. 7, 2017**

(54) **REFUSE CAN STABILIZER**(71) Applicant: **Robert W. Hooper**, Wanchese, NC
(US)D508,595 S * 8/2005 Reiter D34/6
D540,997 S * 4/2007 Richards D34/10
D575,919 S * 8/2008 Siegel D34/10
2010/0044387 A1 * 2/2010 Howard B65F 1/141
220/730(72) Inventor: **Robert W. Hooper**, Wanchese, NC
(US)


* cited by examiner

(**) Term: **15 Years***Primary Examiner* — Thomas Johannes
Assistant Examiner — Gino Colan(21) Appl. No.: **29/536,187**(74) *Attorney, Agent, or Firm* — Robert C. Montgomery;
Montgomery Patent & Design, LP.(22) Filed: **Aug. 14, 2015**(57) **CLAIM**(51) **LOC (10) Cl.** **09-09**The ornamental design for a refuse can stabilizer, as shown
and described.(52) **U.S. Cl.**USPC **D34/10**(58) **Field of Classification Search**USPC D34/6, 10; 215/393, 395; 220/605, 730;
248/500, 154, 907, 146, 188.1, 156;
D6/708CPC B65F 1/141; Y10S 248/907
See application file for complete search history.**DESCRIPTION**

(56)

References Cited

FIG. 1 is a perspective view of a refuse can stabilizer, showing my new design;
FIG. 2 is a front elevational view thereof, the rear elevational
view being a mirror image of FIG. 2;
FIG. 3 is a left side elevational view thereof, the right side
elevational view being a mirror image of FIG. 3;
FIG. 4 is a top plan view thereof; and,
FIG. 5 is a bottom plan view thereof.

1 Claim, 5 Drawing Sheets




FIG. 1



FIG. 2



FIG. 3




FIG. 4




FIG. 5