



US00D802332S

(12) **United States Design Patent**  
**Jay et al.**

(10) **Patent No.:** **US D802,332 S**  
(45) **Date of Patent:** **\*\* Nov. 14, 2017**

(54) **POSITION STOP FOR A BLIND SYSTEM**  
(71) Applicant: **Acmeda Pty Ltd**, Broadmeadows, VIC (AU)  
(72) Inventors: **Dean John Jay**, Gladstone Park (AU); **Riccardo Santilli**, Reservoir (AU)  
(73) Assignee: **Acmeda Pty Ltd**, Broadmeadows VIC (AU)  
(\*\*) Term: **15 Years**  
(21) Appl. No.: **29/536,641**  
(22) Filed: **Aug. 18, 2015**

6,155,328 A \* 12/2000 Welfonder ..... E06B 9/42  
160/296  
D509,394 S \* 9/2005 Allsopp ..... D6/580  
7,562,600 B2 \* 7/2009 Liu ..... F16H 1/16  
160/176.1 R  
D650,623 S \* 12/2011 Di Stefano ..... D6/580  
D660,067 S \* 5/2012 Di Stefano ..... D6/580  
8,556,204 B2 \* 10/2013 Kao ..... E06B 9/42  
242/381  
D698,624 S \* 2/2014 Chou ..... D8/354  
2004/0144501 A1 \* 7/2004 Oskam ..... E06B 9/322  
160/173 R  
2005/0039866 A1 \* 2/2005 Allsopp ..... E06B 9/56  
160/321  
2006/0096719 A1 \* 5/2006 Wu ..... E06B 9/388  
160/170  
2006/0123625 A1 \* 6/2006 Montena ..... H01R 9/0524  
29/828

(Continued)

(30) **Foreign Application Priority Data**  
Feb. 19, 2015 (AU) ..... 201510895  
(51) **LOC (10) Cl.** ..... **06-10**  
(52) **U.S. Cl.**  
USPC ..... **D6/580**  
(58) **Field of Classification Search**  
USPC ..... D6/575, 577, 580, 581; D8/349-383  
CPC . E06B 9/32; E06B 9/322; E06B 9/324; E06B  
9/34; E06B 9/40; E06B 9/56; E06B 9/58  
See application file for complete search history.

*Primary Examiner* — Celia Murphy  
*Assistant Examiner* — Clare Ann Gannon  
(74) *Attorney, Agent, or Firm* — Head, Johnson,  
Kachigian & Wilkinson, PC


(56) **References Cited**  
U.S. PATENT DOCUMENTS  
1,738,037 A \* 12/1929 Collins ..... B62D 1/16  
16/2.1  
2,620,866 A \* 12/1952 Rosenbaum ..... E06B 9/305  
160/177 R  
2,809,531 A \* 10/1957 Moyer ..... E06B 9/307  
160/177 R  
D329,350 S \* 9/1992 Jian ..... D6/580  
5,553,653 A \* 9/1996 Rozon ..... E06B 9/326  
160/173 R

(57) **CLAIM**  
The ornamental design for a position stop for a blind system,  
as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of the position stop for a blind system of the present invention;  
FIG. 2 is a back view thereof;  
FIG. 3 is a top view thereof;  
FIG. 4 is a front view thereof;  
FIG. 5 is a bottom view thereof;  
FIG. 6 is a right side view thereof; and,  
FIG. 7 is a left side view thereof.  
The broken lines in the drawings depict features of the article that form no part of the claimed design.

**1 Claim, 7 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

2007/0051477	A1 *	3/2007	Fraser	.....	E06B 9/262 160/84.05
2010/0065226	A1 *	3/2010	Fraser	.....	E06B 9/322 160/168.1 R
2012/0216968	A1 *	8/2012	Nakamura	.....	E06B 9/262 160/340
2013/0037225	A1 *	2/2013	Huang	.....	E06B 9/60 160/313
2013/0153161	A1 *	6/2013	Haarer	.....	E06B 9/42 160/293.1
2015/0047795	A1 *	2/2015	Bohlen	.....	E06B 9/62 160/316
2015/0059992	A1 *	3/2015	Liu	.....	E06B 9/80 160/313
2015/0368966	A1 *	12/2015	Faller	.....	E06B 9/58 160/311
2016/0208551	A1 *	7/2016	Huang	.....	E06B 9/60

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6






FIG. 7