

US00D802415S

(12) **United States Design Patent** (10) **Patent No.:** **US D802,415 S**
Wilcox et al. (45) **Date of Patent:** **** Nov. 14, 2017**

(54) **BOX WITH SURFACE ORNAMENTATION**

(71) Applicant: **Corning Optical Communications LLC**, Hickory, NC (US)

(72) Inventors: **Dayne Wilcox**, Menlo Park, CA (US); **Lea Kobeli**, San Francisco, CA (US); **Marie Noury**, Croix (FR); **Marcelle Van Beusekom**, San Francisco, CA (US)

(73) Assignee: **Corning Optical Communications LLC**, Hickory, NC (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/564,391**

(22) Filed: **May 12, 2016**

Related U.S. Application Data

(63) Continuation-in-part of application No. 29/545,562, filed on Nov. 13, 2015, now abandoned, and a
(Continued)

(51) **LOC (10) Cl.** **09-03**

(52) **U.S. Cl.**
USPC **D9/432**

(58) **Field of Classification Search**
USPC D5/56, 59, 60, 62; D9/414, 423, 425, D9/432-434, 452, 455-457, 499, 703
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D28,641 S 5/1898 Richards
D69,799 S 3/1926 Harris
(Continued)

OTHER PUBLICATIONS

Youtube. Corning's New Jumper In A Box Packaging Solution by Graybar. Jul. 20, 2016 [earliest online date], [site visited Nov. 29,

2016]. Available from Internet, <URL:https://www.youtube.com/watch?v=XUNYr-XAbVc>.*

(Continued)

Primary Examiner — Robert M Spear

Assistant Examiner — Darcey E Heflin

(74) *Attorney, Agent, or Firm* — Dinsmore & Shohl LLP

(57) **CLAIM**

The ornamental design for a box with surface ornamentation, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a box with surface ornamentation illustrating an embodiment of my new design;

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;

FIG. 4 is a left side view thereof;

FIG. 5 is a right side view thereof;

FIG. 6 is a top view thereof;

FIG. 7 is a bottom view thereof;

FIG. 8 is a front perspective view of another embodiment of the box with surface ornamentation;

FIG. 9 is a front view thereof;

FIG. 10 is a rear view thereof;

FIG. 11 is a left side view thereof;

FIG. 12 is a right side view thereof;

FIG. 13 is a top view thereof;

FIG. 14 is a bottom view thereof;

FIG. 15 is a front perspective view of another embodiment of the box with surface ornamentation;

FIG. 16 is a front view thereof;

FIG. 17 is a rear view thereof;

FIG. 18 is a left side view thereof;

FIG. 19 is a right side view thereof;

FIG. 20 is a top view thereof;

FIG. 21 is a bottom view thereof;

FIG. 22 is a front perspective view of another embodiment of the box with surface ornamentation;

(Continued)





FIG. 23 is a front view thereof;
 FIG. 24 is a rear view thereof;
 FIG. 25 is a left side view thereof;
 FIG. 26 is a right side view thereof;
 FIG. 27 is a top view thereof;
 FIG. 28 is a bottom view thereof;
 FIG. 29 is a front perspective view of another embodiment of the box with surface ornamentation;
 FIG. 30 is a front view thereof;
 FIG. 31 is a rear view thereof;
 FIG. 32 is a left side view thereof;
 FIG. 33 is a right side view thereof;
 FIG. 34 is a top view thereof;
 FIG. 35 is a bottom view thereof;
 FIG. 36 is a front perspective view of a box with surface ornamentation illustrating an embodiment of my new design;
 FIG. 37 is a front view thereof;
 FIG. 38 is a rear view thereof;
 FIG. 39 is a left side view thereof;
 FIG. 40 is a right side view thereof;
 FIG. 41 is a top view thereof;
 FIG. 42 is a bottom view thereof;
 FIG. 43 is a front perspective view of another embodiment of the box with surface ornamentation;
 FIG. 44 is a front view thereof;
 FIG. 45 is a rear view thereof;
 FIG. 46 is a left side view thereof;
 FIG. 47 is a right side view thereof;
 FIG. 48 is a top view thereof;
 FIG. 49 is a bottom view thereof;
 FIG. 50 is a front perspective view of another embodiment of the box with surface ornamentation;
 FIG. 51 is a front view thereof;
 FIG. 52 is a rear view thereof;
 FIG. 53 is a left side view thereof;
 FIG. 54 is a right side view thereof;
 FIG. 55 is a top view thereof; and,
 FIG. 56 is a bottom view thereof.
 The broken lines in the drawings are included for the purpose of illustrating environmental structure and form no part of the claimed design. In the drawings, the stippling indicates color contrast.

1 Claim, 56 Drawing Sheets

Related U.S. Application Data

continuation-in-part of application No. 29/545,564, filed on Nov. 13, 2015, now abandoned, and a continuation-in-part of application No. 29/545,566, filed on Nov. 13, 2015, now abandoned, and a continuation-in-part of application No. 29/545,567, filed on Nov. 13, 2015, now abandoned.

(58) Field of Classification Search

CPC B65D 2203/00; B65D 2203/02; B65D 5/4233; G09F 2003/0272; G09F 2003/0273

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

D76,992 S	11/1928	Fawcett	
D77,013 S	11/1928	Liddell	
D87,781 S	9/1932	Hauck	
D90,803 S	10/1933	Cummings	
D106,438 S	10/1937	Holland	
D268,328 S	3/1983	Lovett, Jr.	
D279,264 S	6/1985	Ujiie	
D319,727 S	9/1991	Kitada	
D323,618 S	2/1992	Arai et al.	
D364,346 S	11/1995	Yamada	
D366,415 S	1/1996	Nagasaka	
D371,512 S	7/1996	Morita	
D391,481 S	3/1998	Oxley	
D396,806 S	8/1998	Burke et al.	
D419,443 S	1/2000	Yonehara et al.	
D494,863 S	8/2004	Hamuro et al.	
D495,253 S	8/2004	Hamuro et al.	
D496,275 S	9/2004	Hamuro et al.	
D496,859 S	10/2004	Hamuro et al.	
D522,856 S	6/2006	Hamuro et al.	
D524,156 S	7/2006	Hamuro et al.	
D526,194 S	8/2006	Hamuro et al.	
D526,894 S	8/2006	Hamuro et al.	
D527,253 S	8/2006	Hamuro et al.	
D536,621 S	2/2007	Tsutsumi et al.	
D541,150 S *	4/2007	Holley, Jr.	D9/434
D558,058 S	12/2007	Raso	
D603,272 S	11/2009	Kusumi	
D619,890 S	7/2010	Paredes et al.	
D620,794 S *	8/2010	Kohno	D9/432
D634,621 S	3/2011	Edwards	
D636,259 S	4/2011	Schmitt	
D637,486 S	5/2011	Andrew	
D647,791 S	11/2011	Schmitt	
D655,197 S	3/2012	In	
D660,145 S	5/2012	Tekulve et al.	
D682,311 S *	5/2013	Voreis	D14/489
D684,467 S	6/2013	Macaulay et al.	
D706,630 S	6/2014	Merchant et al.	
D710,687 S	8/2014	Katopo et al.	
D712,736 S	9/2014	Hara et al.	
D714,137 S	9/2014	Katopo et al.	
D718,125 S	11/2014	Chiang	
D719,032 S	12/2014	Kanda	
D719,462 S	12/2014	Kanda	
D721,956 S	2/2015	Katopo et al.	
D741,900 S *	10/2015	Yang	D14/489
D764,286 S *	8/2016	Dumville	D9/432

OTHER PUBLICATIONS

Corning, Packaging Information and Recommended Handling of Optical Fiber Spools, Spool Covers, Corrugated Boxes, and Plastic Shipping Totes, Application Note, 2014, 1-7, Corning Incorporated.

* cited by examiner




FIG. 1




FIG. 2



FIG. 3




FIG. 4



FIG. 5




FIG. 6




FIG. 7




FIG. 8



FIG. 9




FIG. 10



FIG. 11



FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16



FIG. 17



FIG. 18



FIG. 19




FIG. 20



FIG. 21




FIG. 22




FIG. 23



FIG. 24



FIG. 25



FIG. 26




FIG. 27




FIG. 28




FIG. 29




FIG. 30



FIG. 31



FIG. 32



FIG. 33



FIG. 34




FIG. 35




FIG. 36



FIG. 37




FIG. 38




FIG. 39



FIG. 40




FIG. 41




FIG. 42




FIG. 43




FIG. 44




FIG. 45




FIG. 46




FIG. 47




FIG. 48



FIG. 49




FIG. 50




FIG. 51



FIG. 52




FIG. 53




FIG. 54




FIG. 55



FIG. 56