



US00D802506S

(12) **United States Design Patent** (10) **Patent No.:** **US D802,506 S**
Bargen et al. (45) **Date of Patent:** **** Nov. 14, 2017**

(54) **COMBINED LICENSE PLATE AND EXTENSION CORD HOLDER**

D471,497 S * 3/2003 Baker D12/193
D502,434 S * 3/2005 Leibman D12/193
D530,926 S * 10/2006 Sellers D6/300

(71) Applicants: **David Bargen, Winkler (CA); Pawel Bargen, Winkler (CA)**

(Continued)

(72) Inventors: **David Bargen, Winkler (CA); Pawel Bargen, Winkler (CA)**

Primary Examiner — George D Kirschbaum

Assistant Examiner — Natasha Vujcic

(74) *Attorney, Agent, or Firm* — Kyle R. Satterthwaite; Ryan W. Dupuis; Ade + Company Inc.

(**) Term: **15 Years**

(21) Appl. No.: **29/564,140**

(57) **CLAIM**

The ornamental design for a combined license plate and extension cord holder, as shown and described.

(22) Filed: **May 11, 2016**

(30) **Foreign Application Priority Data**

DESCRIPTION

Nov. 17, 2015 (CA) 165309

(51) **LOC (10) Cl.** **12-16**

(52) **U.S. Cl.**
USPC **D12/193**

(58) **Field of Classification Search**
USPC D12/193; D6/300, 301, 302, 310, 311, D6/312, 313, 314; D20/13
CPC B60R 13/10; B60R 13/105; B60R 19/24; B60R 19/52
See application file for complete search history.


FIG. 1 is a perspective view of a first embodiment of the combined license plate and extension cord holder;
FIG. 2 is another perspective view of the first embodiment in use;
FIG. 3 is a top view of the first embodiment.
FIG. 4 is a right side view of the first embodiment, the left side view being a mirror image thereof;
FIG. 5 is a front view of the first embodiment;
FIG. 6 is a rear view of the first embodiment;
FIG. 7 is a bottom plan view of the first embodiment;
FIG. 8 is a perspective view of a second embodiment of the combined license plate and extension cord holder;
FIG. 9 is another perspective view of the second embodiment in use;
FIG. 10 is a top view of the second embodiment;
FIG. 11 is a right side view of the second embodiment the left side view being a mirror image thereof;
FIG. 12 is a front view of the second embodiment;
FIG. 13 is a rear view of the second embodiment; and,
FIG. 14 is a bottom plan view of the second embodiment.
The broken lines in the drawings illustrates the environment and portions of the combined license plate and extension cord holder which forms no part of the claimed design.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,879,906 A * 9/1932 Linstrom B60R 13/105
40/209
D311,167 S * 10/1990 Ching-Hwei D12/193
5,012,602 A * 5/1991 Storey B60R 13/105
40/201
5,056,698 A 10/1991 Kozakevich
D370,450 S * 6/1996 Doan D12/193
D396,439 S * 7/1998 Turnquest D12/193
D396,679 S * 8/1998 Findel, II D12/193
D397,073 S * 8/1998 Kui D12/191
D406,806 S * 3/1999 Wallace D12/193
D415,987 S * 11/1999 Romero D12/193

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D575,985 S * 9/2008 Delaney D7/405
D633,837 S * 3/2011 Murray D12/193
D713,771 S * 9/2014 Kuo D12/193

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 5




FIG. 4




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 12




FIG. 11




FIG. 13




FIG. 14