

US00D802827S

(12) **United States Design Patent** (10) **Patent No.:** **US D802,827 S**
Smith (45) **Date of Patent:** **** Nov. 14, 2017**

(54) **HOUSING FOR A LIGHTING SYSTEM**

(71) Applicant: **Andrew James Smith**, Los Angeles,
CA (US)

(72) Inventor: **Andrew James Smith**, Los Angeles,
CA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/568,980**

(22) Filed: **Jun. 22, 2016**

(51) **LOC (10) Cl.** **26-04**

(52) **U.S. Cl.**
USPC **D26/118**

(58) **Field of Classification Search**

USPC D26/20, 27, 30, 31, 32, 25, 35, 36, 42,
D26/46, 55, 69, 70, 78, 80, 101, 110,
D26/109, 118–120, 123, 124, 127, 133,
D26/134, 139; D7/416; D10/106.1,
D10/111–115; D13/134, 158–178;
D14/473; D99/99; D25/126–135;
D11/144; D21/341
CPC G02B 5/126; G02B 6/4246; F21K 9/135;
F21K 9/27; F21S 8/02; F21S 4/28; F21S
4/008; F21S 48/212; F21S 2/005; F21V
3/00; F21V 7/09; F21V 21/002; F21V
29/74; F21V 15/01; F21V 19/00; F21Y
2101/00; F21Y 2103/10; F21Y 2107/30;
F21Y 2115/10; H05B 41/00; H05K
7/1455; B60Q 3/004; E01F 9/553; E04F
19/04; E04B 1/98

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D100,974 S * 8/1936 Shaffer D10/113.1
D101,134 S * 9/1936 Moorman D10/113.1
D110,098 S * 6/1938 Moorman D10/113.1
3,587,416 A * 6/1971 Flanagan E01F 9/553
359/547

4,127,348 A * 11/1978 Roberts E01F 9/553
359/534

D267,933 S * 2/1983 Luckinbill D10/113.1
5,327,850 A * 7/1994 Sly E01F 9/553

D388,353 S * 12/1997 Desborough D10/113.1
116/63 P

(Continued)

OTHER PUBLICATIONS

“Easy Camp Satellite Lantern—LED Tent Light” Mar. 2, 2014,
camperlands.co.uk, site visited Feb. 22, 2017 <<https://www.camperlands.co.uk/easycamp-satellite-led-tent-light.html>>.*

Primary Examiner — Kevin Rudzinski

Assistant Examiner — Paul Bohannon

(57) **CLAIM**

The ornamental design for a housing for a lighting system,
as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of a housing for a lighting system
showing my new design;

FIG. 2 is a top plan view thereof.

FIG. 3 is a bottom plan view thereof.

FIG. 4 is a bottom plan view thereof.

FIG. 5 is a left side elevational view thereof. The right side
elevational view is a mirror image of the left side.

FIG. 6 is a left side exploded view thereof. The right side
elevational view is a mirror image of the left side.



FIG. 7 is a first perspective exploded view thereof; and,

FIG. 8 is a second perspective exploded view thereof.

FIGS. 2 and 4 show broken lines. The broken lines in the
drawings illustrate parts of the light system (e.g. the envi-
ronment), and do not form a part of the claimed design.

The present disclosure does not limit that the top of the
housing to face upwards, and the present disclosure does not
limit that the bottom of the housing to face downwards.
Orientation of the housing can vary.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D520,394 S	*	5/2006	Li		D10/113.1
D565,447 S	*	4/2008	Horng		D10/113.1
D696,727 S	*	12/2013	Kim		D21/341
D753,524 S	*	4/2016	Beldon		D10/106.1

* cited by examiner




FIGURE 1




FIGURE 2




FIGURE 3




FIGURE 4




FIGURE 5




FIGURE 6




FIGURE 7




FIGURE 8