



US00D803116S

(12) **United States Design Patent**
Shepard et al.

(10) **Patent No.:** **US D803,116 S**

(45) **Date of Patent:** **** Nov. 21, 2017**

(54) **FRICITION DISC WITH SURFACE PATTERN**

(71) Applicant: **Raybestos Powertrain, LLC**,
Crawfordsville, IN (US)

(72) Inventors: **Jeremiah Joseph Shepard**, Lafayette,
IN (US); **Przemyslaw A. Zagrodzki**,
West Lafayette, IN (US); **Angela L.**
Petroski, Crawfordsville, IN (US);
Marc Andrew Yesnik, Crawfordsville,
IN (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/507,611**

(22) Filed: **Oct. 29, 2014**

(51) **LOC (10) Cl.** **12-16**

(52) **U.S. Cl.**
USPC **D12/180; D15/5; D15/148**

(58) **Field of Classification Search**

USPC ... D5/1, 2, 3, 4, 7, 9, 18, 27, 28, 32, 43, 44,
D5/47, 49, 50, 53, 56, 59-62, 64, 65, 99;
D6/582, 583, 587, 588, 591, 595, 596,
D6/602, 608, 612, 617; D19/1, 5, 8;
D25/138, 147, 150, 151; D2/500, 741;
D15/10, 26, 131, 5, 148; D12/177, 180
CPC . B32B 3/266; B32B 5/024; B44F 1/00; B44F
1/02; B44F 1/08; B44F 1/10; B44F 5/00;
B44F 7/00; B44F 9/00; B44F 9/04; B44F
9/12; B44F 11/00; B44F 11/02; B44F
11/06; D03D 1/00; D04H 1/00; D10B
2503/02; D10B 2503/04; D10B 2501/042;
D21H 27/02

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D307,120 S * 4/1990 Ingley D12/561
6,293,382 B1 * 9/2001 Nishide F16D 13/72
192/107 R

D448,709 S * 10/2001 Le D12/600
D456,324 S * 4/2002 Burden D12/177
D458,215 S * 6/2002 Le D12/600
D478,093 S * 8/2003 Bentley D15/5
D497,127 S * 10/2004 Veneziano D12/180
D503,672 S * 4/2005 Cullinan D12/534
D504,865 S * 5/2005 Maziarka D12/521
D524,201 S * 7/2006 Okabe D12/180
D530,262 S * 10/2006 Chapman D12/543

(Continued)

Primary Examiner — Karen S Acker

Assistant Examiner — Wendy Arminio

(74) *Attorney, Agent, or Firm* — Krieg DeVault LLP

(57) **CLAIM**

The ornamental design for a friction disc with surface pattern, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a first embodiment of a friction disc with surface pattern;

FIG. 2 is a side view of the design of FIG. 1 showing that the features on the front of the design are also applied to the rear;


FIG. 3 is a front view of a second embodiment of a friction disc with surface pattern; and,

FIG. 4 is a perspective view of the design of FIG. 3.

The ornamental design includes surface texturing formed by embossed or debossed features having a trailing edge with a V-shape in friction material of a friction disc to give the appearance of a pattern of rows spiraling in a common clockwise or counterclockwise direction, the V-shape trailing edge defining an interior boundary of the design.

The dot-dash-dot broken line immediately adjacent to the interior solid line is the boundary of the claim and forms no part thereof. The broken line and areas within the broken line boundary depict portions of the friction disc with surface pattern that form no part of the claimed design.

1 Claim, 3 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D581,844	S *	12/2008	Ohigashi	D12/180
D590,327	S *	4/2009	Barrett	D12/574
D595,641	S *	7/2009	Carter	D12/579
D608,259	S *	1/2010	Becocci	D12/180
D645,396	S *	9/2011	Jacobs	D12/600
D648,261	S *	11/2011	Rayman	D12/579
D661,632	S *	6/2012	Shinagawa	D12/180
D661,633	S *	6/2012	Shinagawa	D12/180
D693,280	S *	11/2013	Shinagawa	D12/180
D709,114	S *	7/2014	Chavdar	D15/148
D730,273	S *	5/2015	Schimmoeller	D12/601
D736,143	S *	8/2015	Rizzo	D12/536
D741,787	S *	10/2015	Wang	D12/579
D749,477	S *	2/2016	Dunlap, III	D12/180
D783,475	S *	4/2017	Wen	D12/180
2003/0230463	A1 *	12/2003	Fabricius	F16D 13/648 192/113.36
2007/0000747	A1 *	1/2007	Miyazaki	F16D 13/648 192/70.12
2009/0229939	A1 *	9/2009	Gold	F16D 13/683 192/57
2011/0275266	A1 *	11/2011	Lecostaouec	B29B 11/16 442/240
2012/0160082	A1 *	6/2012	Erlendsson	D04C 1/12 87/6
2013/0032271	A1 *	2/2013	Reiners	F16D 13/64 156/60
2014/0290845	A1 *	10/2014	Collis	

* cited by examiner




FIG. 2




FIG. 1




FIG. 3




FIG. 4