



US00D803147S

(12) **United States Design Patent** (10) **Patent No.:** **US D803,147 S**
Kline et al. (45) **Date of Patent:** **** Nov. 21, 2017**

(54) **TIRE**

(71) Applicant: **Maxam Tire North America Inc.**,
Danvers, MA (US)

(72) Inventors: **Troy Kline**, Peabody, MA (US);
Matthew Fagan, Quincy, MA (US)

(73) Assignee: **Maxam Tire North America Inc.**,
Danvers, MA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/535,548**

(22) Filed: **Aug. 7, 2015**

(51) **LOC (10) Cl.** **12-15**

(52) **U.S. Cl.**
USPC **D12/501**

(58) **Field of Classification Search**
USPC D12/500-504, 505-532, 537, 570, 604,
D12/605
CPC B60C 11/0302; B60C 11/0304; B60C
11/0306; B60C 11/0309; B60C 11/0311;
B60C 11/0318; B60C 11/0337; B60C
11/0339; B60C 11/042; B60C 11/00;
B60C 11/11; B60C 11/12; B60C 11/13
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D57,136 S * 2/1921 Lambert 152/326
D57,363 S * 3/1921 Lambert 152/326
1,395,576 A * 11/1921 Jennings B60C 27/00
152/175
1,524,718 A * 2/1925 Leach B60C 7/12
152/326
D67,515 S * 6/1925 Gillam 152/326
5,343,916 A * 9/1994 Duddey B60C 7/12
152/326

D401,896 S * 12/1998 Chandler D12/501
D410,603 S * 6/1999 Chandler D12/605
D455,996 S * 4/2002 Buckley D12/500
D481,988 S * 11/2003 Wachendorf D12/500
6,681,822 B2 * 1/2004 Adams B60B 9/00
152/326
D498,203 S * 11/2004 Shapiro D12/501
D499,065 S * 11/2004 Shapiro D12/501
6,845,796 B2 * 1/2005 Katoh B29D 30/02
152/209.1
D507,522 S * 7/2005 Becker B60C 7/12
D12/605
D536,298 S * 2/2007 Becker D12/605
7,174,936 B2 * 2/2007 Becker B60C 7/12
152/246
D548,681 S * 8/2007 Becker D12/605
D602,422 S * 10/2009 Laskowitz D12/570
D602,852 S * 10/2009 Laskowitz D12/570
D615,920 S * 5/2010 Kline D12/570
D631,821 S * 2/2011 Kline D12/570
8,826,953 B2 * 9/2014 Pringiers B60B 21/023
152/323
D749,035 S * 2/2016 Gong D12/501
2007/0029020 A1 * 2/2007 Wietharn B60C 7/10
152/324

(Continued)

Primary Examiner — Sandra Snapp
Assistant Examiner — Katherine Glennon


(57) **CLAIM**

The ornamental design for a tire, as shown and described.

DESCRIPTION

FIG. 1 is a first side view of the tire;
FIG. 2 is a front view of the tire, the back view of the tire
being identical thereto;
FIG. 3 is a second side view of the tire, opposite the first side
of FIG. 1; and,
FIG. 4 is a perspective view of the tire.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2009/0120548 A1* 5/2009 Norbits B60C 7/12
152/310
2012/0234444 A1* 9/2012 Palinkas B60C 7/18
152/246
2015/0355056 A1* 12/2015 Martin G01M 17/027
356/601

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4