



US00D803165S

(12) **United States Design Patent** (10) **Patent No.:** **US D803,165 S**
Noble (45) **Date of Patent:** **** Nov. 21, 2017**

(54) **CLIP-ON CORD CONTROLLER**
(71) Applicant: **Jack Noble**, Sedro Woolley, WA (US)
(72) Inventor: **Jack Noble**, Sedro Woolley, WA (US)
(73) Assignee: **Nifty Tools, LLC**, Sedro Woolley, WA (US)
(**) Term: **15 Years**
(21) Appl. No.: **29/558,125**
(22) Filed: **Mar. 15, 2016**
(51) **LOC (10) Cl.** **13-03**
(52) **U.S. Cl.**
USPC **D13/155**
(58) **Field of Classification Search**
USPC D13/110, 120-122, 123, 133, 137.1, D13/139.1, 139.4, 152, 154, 155, 156, D13/158, 162, 164, 173, 177, 184, 199; 174/67, 66; 439/147-149, 373, 391, 535, 439/536, 538; 220/241, 242; 361/600, 361/707, 752; D8/356
CPC H02G 3/14; H02G 3/081; H05K 5/0217; H01R 13/447
See application file for complete search history.

(56) **References Cited**
U.S. PATENT DOCUMENTS
254,333 A 2/1882 Kane
887,272 A * 5/1908 Robinson F16L 3/2235 211/60.1
1,334,545 A * 3/1920 Londelius, Jr. F16L 3/223 211/70.1
1,472,955 A * 11/1923 Behringer F24D 19/02 248/300
D138,739 S * 9/1944 Harris D8/356
3,360,229 A 12/1967 Beyer
D228,737 S * 10/1973 Mathews D8/356
D261,960 S * 11/1981 Mathews D8/356

4,431,152 A 2/1984 Reed
D285,529 S * 9/1986 Huxhold 248/304
D297,110 S 8/1988 Zagorski
D297,412 S * 8/1988 Allen D6/553
4,775,121 A 10/1988 Carty
4,799,641 A 1/1989 Koreski
4,878,586 A 11/1989 Bancroft et al.
D323,286 S * 1/1992 Roetting 211/119
D336,421 S * 6/1993 Grubicy D8/356
D342,938 S * 1/1994 Cheatham D13/154
D394,600 S * 5/1998 McCoy D8/354
D404,010 S * 1/1999 Viklund D13/155
D404,364 S * 1/1999 Viklund D13/155
D407,963 S * 4/1999 Gretz D8/356
D439,503 S 3/2001 Paliga et al.
D439,828 S * 4/2001 Kiely D8/356
6,241,200 B1 6/2001 Camporeale et al.

(Continued)


Primary Examiner — Derrick Holland
Assistant Examiner — Jennifer O King
(74) *Attorney, Agent, or Firm* — Schacht Law Office, Inc.; Dwayne Rogge

(57) **CLAIM**
The ornamental design for a clip-on cord controller, as shown and described.

DESCRIPTION

FIG. 1 is a side isometric view of a clip-on cord controller embodying the new design.
FIG. 2 is a right side view thereof.
FIG. 3 is a left side view thereof.
FIG. 4 is a top view thereof.
FIG. 5 is a bottom view thereof.
FIG. 6 is a front view thereof, shown enlarged for ease of illustration; and,
FIG. 7 is a rear view thereof, shown enlarged for ease of illustration.
The broken lines shown represent unclaimed subject matter and form no part of the claimed design.

1 Claim, 2 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D463,253	S	9/2002	Canty	
6,458,104	B2	10/2002	Gautsche	
D468,996	S	1/2003	Sarkinen et al.	
D534,060	S *	12/2006	Kiely	D8/356
7,438,265	B2 *	10/2008	Urzua	F16L 3/223
				248/68.1
D580,661	S *	11/2008	Belokin	D6/315
D582,686	S *	12/2008	Belokin	D6/315
7,521,633	B2	4/2009	Jostmeier et al.	
D612,225	S *	3/2010	Forte	D8/356
D640,527	S	6/2011	Hoek	
D666,896	S *	9/2012	Pinholster, Jr.	D8/356
D668,130	S	10/2012	Pawluk	
8,840,071	B2 *	9/2014	Oh	F16L 3/1075
				248/58
D719,103	S *	12/2014	Liang	D13/155
D728,349	S *	5/2015	Lake	D8/356
D747,113	S *	1/2016	Goodman	D6/315
D755,043	S *	5/2016	Bailey	D8/394
D769,198	S	10/2016	Sajedian	
2016/0018024	A1	1/2016	Noble	

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7