



US00D803212S

(12) **United States Design Patent** (10) **Patent No.:** **US D803,212 S**
Smit (45) **Date of Patent:** **** Nov. 21, 2017**

(54) **WEARABLE COMPUTER CASE**
(71) Applicant: **Smolding BV**, Waalre (NL)
(72) Inventor: **Raymond Maurice Smit**, Waalre (NL)
(73) Assignee: **Smolding BV**, Waalre (NL)
(**) Term: **15 Years**
(21) Appl. No.: **29/583,304**
(22) Filed: **Nov. 3, 2016**
(51) **LOC (10) Cl.** **14-02**
(52) **U.S. Cl.**
USPC **D14/348**; D14/344
(58) **Field of Classification Search**
USPC D14/240, 300, 301, 314, 308, 344,
D14/348-356, 364-368, 188; D13/123,
D13/158, 162, 184, 199;
312/223.1-223.3, 351.11;
360/99.01-99.12; 369/34.01-36.01;
361/679.31-679.33, 679.37, 679.39,
361/679.46, 679.53, 679.4, 679.41, 727
CPC . G06F 1/20; G06F 1/181; G06F 1/187; G06F
1/183; G06F 1/184; G06F 1/16; H05K
7/16; H05K 7/1424; H05K 7/1409; H05K
7/20; H05K 7/20545; H05K 7/20727;
H05K 7/1425; H05K 7/1488; H05K
7/183; H05K 7/14; H05K 5/00; H05K
7/00; H05H 7/20; G11B 33/126; G11B
33/128; G11B 33/08; G11B 33/02; A45C
3/00; A45C 7/00; A45C 9/00; B65D
85/00; B65D 69/00
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,462,525 A * 7/1984 Pingleton A45F 3/08
224/634
5,509,279 A 4/1996 Brown

5,911,348 A 6/1999 Shook
6,249,427 B1 * 6/2001 Carroll G06F 1/1616
361/679.03
6,325,262 B1 12/2001 Thompson
D455,746 S * 4/2002 Ronzani D14/344
6,529,372 B1 * 3/2003 Ng G06F 1/163
312/223.2
6,538,623 B1 3/2003 Pamian
D496,049 S 9/2004 Heinz
6,843,012 B1 * 1/2005 Dodd G09F 21/02
224/627
D502,176 S 2/2005 Fumagalli
D520,016 S 5/2006 Lin
7,265,970 B2 * 9/2007 Jordan G09F 21/02
361/679.27
7,542,275 B2 6/2009 Sun
(Continued)

FOREIGN PATENT DOCUMENTS

WO WO2007133209 A1 11/2007

Primary Examiner — Freda S Nunn

(74) *Attorney, Agent, or Firm* — Eric Kelly

(57) **CLAIM**


The ornamental design for wearable computer case, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a wearable computer case according to my new design;
FIG. 2 is a front view thereof;
FIG. 3 back view thereof;
FIG. 4 is a left-side view thereof;
FIG. 5 is a right-side view thereof;
FIG. 6 is a top view thereof;
FIG. 7 is a bottom view thereof; and,
FIG. 8 is an enlarged detailed view of the hole pattern as shown in FIG. 2.

Broken lines shown in the drawings represent environment only and form no part of the claimed design.

1 Claim, 8 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

7,965,499	B2	6/2011	Du	
7,978,464	B2 *	7/2011	Daley, III	 G06F 1/1628 361/679.02
8,074,853	B1	12/2011	Hirshberg	
8,400,768	B2	3/2013	Baitz	
8,491,066	B2	7/2013	Chang	
9,264,088	B2	2/2016	Wojcik	
2002/0074199	A1	6/2002	Albritton	
2006/0113203	A1 *	6/2006	Daley	 A45C 5/02 206/320
2007/0201201	A1 *	8/2007	Daley, III	 G06F 1/1628 361/679.27
2009/0141446	A1 *	6/2009	Daley, III	 G06F 1/1628 361/679.55
2009/0284908	A1 *	11/2009	Daley, III	 G06F 1/1628 361/679.17
2015/0116316	A1	4/2015	Fitzgerald	
2016/0119013	A1	4/2016	Wojcik	
2016/0163283	A1	6/2016	Chang	

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8