



US00D803214S

(12) **United States Design Patent**  
**Nishizawa**

(10) **Patent No.:** **US D803,214 S**

(45) **Date of Patent:** **\*\* Nov. 21, 2017**

(54) **COORDINATE INPUT DEVICE**

(71) Applicant: **Wacom Co., Ltd.**, Kazo-shi, Saitama (JP)

(72) Inventor: **Naoya Nishizawa**, Tokyo (JP)

(73) Assignee: **Wacom Co., Ltd.**, Kazo-shi (JP)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/574,824**

(22) Filed: **Aug. 18, 2016**

(30) **Foreign Application Priority Data**

Mar. 10, 2016 (JP) ..... 2016-005281

(51) **LOC (10) Cl.** ..... **14-02**

(52) **U.S. Cl.**  
USPC ..... **D14/390; D14/454**

(58) **Field of Classification Search**  
USPC ..... D14/388, 389, 390, 316, 341, 346, 347,  
D14/381, 383, 371, 374, 496, 129, 138 G,  
(Continued)

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D506,195 S \* 6/2005 Leveridge ..... D14/336  
D519,997 S \* 5/2006 Hirota ..... D14/341  
(Continued)

**FOREIGN PATENT DOCUMENTS**

KR 30-0726648 S 1/2014

**OTHER PUBLICATIONS**

Coordinate input devices. (Design—© Questel). orbit.com.[online PDF] 39 pgs. Print Dates range Jun. 25, 2013 through Nov. 7, 2016 [retrieved on Jul. 3, 2017] <https://sobjprd.questel.fr/export/QPTUJ214/pdf2/7c1c4b70-34c0-44f3-a408-65697cf68812-223426.pdf>.\*

*Primary Examiner* — Susan Bennett Hattan

*Assistant Examiner* — Marie Fast Horse

(74) *Attorney, Agent, or Firm* — Christensen O'Connor Johnson Kindness PLLC; Brandon Stallman; Jake Ferderer


(57) **CLAIM**

The ornamental design for a coordinate input device, as shown and described.

**DESCRIPTION**

FIG. 1 is a front top right isometric view of a coordinate input device according to my new design;  
FIG. 2 is a rear top right isometric view of the coordinate input device of FIG. 1;  
FIG. 3 is front view of the coordinate input device of FIG. 1;  
FIG. 4 is a rear view of the coordinate input device of FIG. 1;  
FIG. 5 is a top view of the coordinate input device of FIG. 1;  
FIG. 6 is a bottom view of the coordinate input device of FIG. 1;  
FIG. 7 is a left side view of the coordinate input device of FIG. 1;  
FIG. 8 is a right side view of the coordinate input device of FIG. 1;  
FIG. 9 is a rear view of the coordinate input device of FIG. 1, showing the device in a second position;  
FIG. 10 is a top view of the coordinate input device of FIG. 1, showing the device in the second position;  
FIG. 11 is a bottom view of the coordinate input device of FIG. 1, showing the device in the second position;  
FIG. 12 is a left side view of the coordinate input device of FIG. 1, showing the device in the second position;  
FIG. 13 is a right side view of the coordinate input device of FIG. 1, showing the device in the second position;  
FIG. 14 is a rear view of the coordinate input device of FIG. 1, showing the device in a third position;  
FIG. 15 is a top view of the coordinate input device of FIG. 1, showing the device in the third position;  
FIG. 16 is a bottom view of the coordinate input device of FIG. 1, showing the device in the third position;  
FIG. 17 is a left side view of the coordinate input device of FIG. 1, showing the device in the third position; and,  
FIG. 18 is a right side view of the coordinate input device of FIG. 1, showing the device in the third position.  
The broken lines show portions of the coordinate input device which form no part of the claimed design.

**1 Claim, 12 Drawing Sheets**



(58) **Field of Classification Search**

USPC ..... D14/168, 203.1, 203.3, 248, 299, 454,  
D14/457, 447, 451, 452; D19/59-61,  
D19/113; D20/10, 11, 19, 99; D21/324,  
D21/329, 333; D10/65  
CPC ..... G06F 3/033; G06F 3/041; G06F 3/0414;  
G06F 3/0433; G06F 3/0436; G06F 3/044;  
G06F 3/045; G06F 3/046; G06F 3/0486;  
G06F 3/0488; G06F 2206/1512; G08C  
21/00

See application file for complete search history.


(56) **References Cited**

U.S. PATENT DOCUMENTS


D525,621 S \* 7/2006 Hirota ..... D14/346  
D589,961 S \* 4/2009 Hackenberg ..... D14/388  
D617,793 S \* 6/2010 Chiang ..... D14/341  
D629,402 S \* 12/2010 Crisp ..... D14/390  
D648,723 S \* 11/2011 Harper ..... D14/390

D673,961 S \* 1/2013 Matsui ..... D14/447  
D695,735 S \* 12/2013 Kitchen ..... D14/341  
D706,254 S \* 6/2014 Chang ..... D14/217  
D711,888 S \* 8/2014 Huebner ..... D14/447  
D718,308 S \* 11/2014 Nishizawa ..... D14/389  
D724,579 S \* 3/2015 Moradian ..... D14/341  
D732,533 S 6/2015 Hirota  
D736,218 S \* 8/2015 Lee et al. .... D14/454  
D749,557 S \* 2/2016 Feng ..... D14/250  
D754,008 S \* 4/2016 Huebner ..... D10/65  
D761,260 S \* 7/2016 Luo ..... D14/383  
D766,890 S \* 9/2016 Park ..... D14/341  
D766,892 S \* 9/2016 Bajwa ..... D14/341  
D769,865 S \* 10/2016 Oakley ..... D14/336  
D775,125 S \* 12/2016 Yoshihara ..... D14/341  
D776,104 S \* 1/2017 Tien ..... D14/250  
D780,167 S \* 2/2017 Tien ..... D14/250  
D789,344 S \* 6/2017 Kim ..... D14/250  
9,677,702 B2 \* 6/2017 Kim ..... F16M 11/00  
2010/0116560 A1 \* 5/2010 Sato ..... G06F 3/041  
178/18.01

\* cited by examiner



*Fig. 1.*




*Fig. 2.*



*Fig. 3.*






*Fig. 4.*




*Fig. 5.*



*Fig. 6.*




*Fig. 7.*




*Fig. 8.*






*Fig. 9.*




*Fig. 10.*




*Fig. 11.*




*Fig. 12.*



*Fig. 13.*




*Fig. 14.*




*Fig. 15.*



*Fig. 16.*



*Fig. 17.*



*Fig. 18.*